AD-783 194

OPERATION HOMECOMING. VOLUME I, PART 2. SYSTEMS MANUAL

Gary C. Haley, et al

INCO, Incorporated

Prepared for:

Rome Air Development Center

March 1974

DISTRIBUTED BY:



U. S. DEPARTMENT OF COMMERCE 5285 Port Royal Road, Springfield Va. 22151

Best Available Copy

OPERATION HOMECOMING Volume I, Part 2 - Systems Manual

> Gary C. Haley Brian T. Forbes Paul F. Wilson E. B. Martinez

INCO, Incorporated

Approved for public release; distribution unlimited.



TABLE OF CONTENTS

n	_		_	9
r	8	r	C	1

SECTION		PAGE
ı	INTRODUCTION	1
	1. Purpose	1
	2. Systems Design Concepts	1
	a. Objectives	1
	b. Data Processing	2
	c. Data Analysis	2
II	DESCRIPTION OF SYSTEM COMPONENTS AND OPERATIONS	4
	1. System Flow	4
	a. Input Preparation	4
	b. Updating	4
	c. Retrieving Data	4
	d. Information Reports	6
	2. OPERATION HOMECOMING ADP Support System Components	6
	a. OPERATION HOMECOMING File	6 6
	b. File Format Table (FFT)	6
	c. File Library	6
	d. Logic Statements	6
	e. Preprocessor Programs	6 6
	f. 360 FFS Procedures	
- 1	3. JCL Statements	6
111	FILE FORMAT TABLE (FFT)	7
	1. General File Concepts	7
	a. Master File Organization (NAPWWW)	7
	b. DEREP Comments File Organization (NAPWCMT)	7
	2. JCL Statements	8
	3. File Format Table	8
IV	FILE MAINTENANCE (FM)	9
	1. File Maintenance Procedures	9
	2. JCL Statements	9
	3. OPERATION HOMECOMING ADP Support System	9
	Logic Statements	
	4. Main File Cleanup Routines	9
v	DIA PMSEA PREPROCESSOR	11
	1. Input	11
	2. Processing	11
	3. Output	11
	4. JCL and Program Statements	11
	5.: Flow Charts	11

TABLE OF (ONTENTS (continued)

SECTION		PAGE
VI	USAF NEXT-OF-KIN PREPROCESSOR	12
	1. Input	12
	2. Processing	12
	3. Output	13
	4. Navy and Marine Corps Next-of-Kin Data	13
	5. JCL and Program Statements	13
	6. Flow Charts	13
VII	OSD CASUALTY FILE PREPROCESSOR	14
	1. Purpose	14
	2. Input	14
	3. Processing	14
	4. Output	15
	JCL and Program Statements	15
	6. Flow Charts	15
VIII	DEBRIEFING REPORTING PREPROCESSOR (DEREP)	16
	1. Purpose	16
	2. Input	16
	3. Processing	16
	4. Output	17
	5. JCL and Program Statements	17
	6. Flow Charts	17
	7. DEREP Transaction Updating	17
	8. DEREP Cleanup Routines	19
IX	PACAF NIA PW/INDEX	20
x	SYSTEM TABLES	21
	1. Table Concepts	21
	2. JCL and Parameter Statements	21
	3. Table Listings	21
XI	OUTPUTS	22
	1. General	22
	Retrieval and Sort Processor (RASP)	22
	Output Processor (OP)	22
	4. Feedback Reports	23
	a. Assessment Report	23
	 b. Non-Returnee Report (Unknown or No Match) 	23
	5 Other Outputs	26

TABLE OF CONTENTS (continued)

APPENDIX		PAGE
A	References	31
В	File Format Tables (FFTs)	33
С	Logic Statements	76
D	DIA PMSEA Preprocessor	106
E	USAF Next-of-Kin Preprocessor	116
F	OSD Casualty File Preprocessor	129
G	DEREP Preprocessor	148
н	Systems Tables	201
Part 2		
I	Cataloged Retrieval and Sort Processor Statements	285
J	Cataloged Report Instruction Tables (RIT)	439
K	Feedback Report Instructions	5 23
T.	Abbreviations	532

LIST OF ILLUSTRATIONS

FIGURE	TITLE	
(Part 1)		
1	OPERATION HOMECOMING Ceneral System Flow	5
2	DD Form 1392	24
3	AFHG Form 60 AUTODIN TRANSMISSION REQUEST	25
4	Non-Returnee Report (Unknown/No Match) Flow	27
5	File Maintenance Routines	99
6	DIA PMSEA Data Update Systems Flow	110
7	DIA PMSEA Translator Logic/Detail Flow	111
8	Next-of-Kin (NOK) Reformat Preprocessor Flow	117
9	Next-of-Kin (NOK) Preprocessor	118
10	OSD Casualty Reformat Logic/Detail Flow	139
11	OSD Casualty Update Systems Flow	142
12	OSD Casualty Translator Logic/Detail Flow	143
13	DEREPS Systems Flow Chart	149
14	DEREPS Preprocessor Logical Flow Chart	150
15	DEREP Preprocessor Flow Chart	152
16	DEREP Logic Statement System Flow	187
(Part 2)		
17	AUTODIN Feedback COBOL Program (NAPWAUTD) Logic Flow	528

APPENDIX I

CATALOGED RETRIEVAL AND SORT PROCESSOR STATEMENTS

RASP NUMBER :

RW991

REPORT TITLE:

PW/MIA NEXT-OF-KIN REPORT

TITLE RWGG1/GG1.

IF DODC EQ AF AND STATUSN EQ &STATUSN AND HOSP EQ &HOSP2 AND NOKRS EQ &NOKRS.
SORT HOSP2 #THOSP2#, STATUSN, NAMED, NOKRS.

SELECT NOKRS.

This RASP retrieves all Air Force PW/MIAs, sorts by Hospital Assignment, Status (PW/MIA) and Name. The OP Table (THOSP2) is entered in the sort key for use in the header of the RIT.

Use RIT OWGG1 with this RASP.

RASP NUMBER :

RW993

REPORT TITLE:

LIST OF KNOWN PW/MIA PERSONNEL BEST MATCHING

THE DESCRIPTION OF

REPORTED BY

REPORT NO.

TITLE RW003/003.

IF

SORT '

', NAMED.

SELECT RECID.

This RASP is designed to select candidates best matching the description of unknowns and no matches. The IF statement must be written to match the data known about the unknown or no match, i.e., hair color, eye color, shootdown date, weight, height, etc.

The sort key is designed to provide the RIT with part of the title headers. The first four characters of the sort key should contain the unknown or no match indicator of the unknown or no match to be identified. The next four characters contain the rank of the returnee reporting the unknown or no match. The next ten characters contain the last name of the returnee. The next four characters contain the DIA ID of the returnee. The last two characters will contain the report number (i.e., \$\mathcal{Q}\$1, \$\mathcal{Q}\$2 for first, second, etc.).

A typical RASP could be the following:

TITLE RW993/993.

IF RANKCF EQ #3 AND HAIRC EQ BL AND EYEC EQ BL.

SORT 'NMØ1CAPTBEAMANNWWB275Ø1', NAMED. SELECT RECID.

This RASP would select out all captains with blond hair and blue eyes. The data in the sort key would provide the RIT with the following title.

LIST OF KNOWN PW/MIA PERSONNEL BEST MATCHING THE DESCRIPTION OF NMØ1 REPORTED BY CAPT BEAMANN B275

REPORT NO. - Ø1

Use RIT OW039 with this RASP.

RASP NUMBER:

RWGG4

REPORT TITLE:

NUMBER OF PW/MIAS ASSIGNED TO THE

INDIVIDUAL CONUS HOSPITALS

REPORT TITLE:

HOSPITAL ASSIGNMENTS

(PARAM)

AF PERSONNEL

TITLE RW994/994.

IF DODC EQ AF AND HOSP2 NE 'WW'.

SORT HOSP2. SELECT HOSP2.

This RASP retrieves all Air Force PW/MIAs, sorts by Hospital Assignment.

This RASP may be used with RITs OW994 and OW923.

NOTE: The first title given above applies to RIT 0W994. The second title applies to RIT 0W923.

RASP NUMBER :

RW005

REPORT TITLE:

SEA PW/MIA LIST

TITLE RW995/995. IF RECID 2/2 GE Ø. SORT NAMED. SELECT RECID.

This RASP retrieves all PW/MIA and sorts them in alphabetical sequence.

Use RIT OWG05 with this RASP.

RASP NUMBER:

RW006

REPORT TITLE: (PARAM)

SEA PW/MIA LIST

AIR FORCE

TITLE RW996/996.

IF DODC EQ AF AND RECID 2/2 GE Ø.

SORT NAMED.

SELECT RECID.

This RASP retrieves all Air Force PW/MIAs and sorts them in alphabetical sequence.

Use RIT OW995 with this RASP.

RASP NUMBER :

RW997

REPORT TITLE:

SEA PW/MIA LIST

(PARAM)

ARMY

TITLE RW997/997.

IF DCDC EQ AR AND RECID 2/2 GE Ø.

SORT NAMED. SELECT RECID.

This RASP retrieves all Army PW/MIAs and sorts them in alphabetical sequence.

Use RIT OW995 with this RASP.

RASP NUMBER :

RWOO8

REPORT TITLE:

SEA PW/MIA LIST

(PARAM)

MARINE CORPS

TITLE RW998/998.

IF DODC EQ MC AND RECID 2/2 GE .

SORT NAMED. SELECT RECID.

This RASP retrieves all Marine Corps PW/MIAs and sorts them in alphabetical sequence.

Use RIT OW905 with this RASP.

RASP NUMBER :

RWØØ9

REPORT TITLE: (PARAM)

SEA PW/MIA LIST

AM) NAVY

TITLE RW009/009.

IF DODC EQ NA AND RECID 2/2 GE 0.

SORT NAMED.

SELECT RECID.

This RASP retrieves all Navy PW/MIAs and sorts them in alphabetical sequence.

Use RIT OW995 with this RASP.

RASP NUMBER : RW919

REPORT TITLE:

SEA PW/MIA LIST

(PARAM)

CIVILIAN

TITLE RW919/919. IF DODC EQ CV AND RECID 2/2 GE Ø. SORT NAMED. SELECT RECID.

This RASP retrieves all Civilian PW/MIAs and sorts them in alphabetical sequence.

Use RIT OW995 with this RASP.

CATALOGED RETRIEVAL AND SORT STATEMENTS

RASP NUMBER: RWØ11
REPORT TITLE: SEA PW/MIA LIST
(PARAM) FOREIGN

TITLE RWØ11/Ø11.

IF DODC NE AF,AR,MC,NA,CV AND RECID 2/2 GE Ø.

SORT NAMED.

SELECT RECID.

This RASP retrieves all NON-U. S. PW/MIAs and sorts them in alphabetical sequence.

Use RIT OW005 with this RASP.

RASP NUMBER:

RW914

REPORT TITLE:

RW914 PW/MIA CREW MEMBER LIST

TITLE RW914/914. IF DODC EQ AF AND CRECID NE ZZZZ. SORT NAMED. SELECT CRECID.

This RASP retrieves all AF PW/MIAs and the Crew Members who are listed in their records and sorts them in alphabetical order by the name of the PW/MIA and then by the names of the Crew Members.

Use RIT OW#19 with this RASP.

RASP NUMBER :

RWØ19

REPORT TITLE:

LIST OF POW/MIA, COUNTRY OF LOSS, AND

DATE OF INCIDENT

(PARAM)

optional

TITLE RW019/019. IF RECID EQ &RECID. SORT DODC, RSTATUS, NAMED. SELECT RECID.

This RASP selects all records on the HOMECOMING File and sorts by service, status, and then name of the individual.

Use RIT OW#18 with this RASP.

RASP NUMBER :

RW 22

REPORT TITLE:

STATUS OF PERSONNEL

(PARAM)

REPORTED DECEASED

TITLE RW#22/#22. IF FLAG2 EQ D. SORT DODC, NAMED. SELECT NAMED.

This RASP selects all personnel reported deceased by North Vietnam (indicated by a "D" in FLAG2) and sorts by service and name.

Use RIT OW 20 with this RASP.

RASP NUMBER :

RW#23

REPORT TITLE:

STATUS OF PERSONNEL

(PARAM)

SEQ BY NAME

TITLE RW023/023. IF RECID EQ &RECID. SORT NAMED. SELECT NAMED.

This RASP selects all records on the file and sorts alphabetically by name.

Use RIT OW 20 with this RASP.

RASP NUMBER:

RWØ24

REPORT TITLE:

SUMMARY OF ALL NON-RETURNEES REPORTED

AND CANDIDATE DIA IDENTIFIER

(PARAM)

optional

TITLE RW024/024.

IF RSTATUS NE R AND NSETID EQ &NESETID.

SORT NAMED, NRNAME. SELECT NSETID.

This RASP selects all data from PSET9 reported on non-returnees and sorts by name of non-returnee.

Use RIT OWØ21 with this RASP.

RASP NUMBER:

RW025

REPORT TITLE:

SUMMARY OF ALL NON-RETURNEES REPORTED

AND CANDIDATE DLA IDENTIFIER

TITLE RW#25/#25.

IF RSTATUS NE R AND NSETID NE ZZZZ.

SORT NAMED, NSETID, 'WWW'.

SELECT NSETID/F.

IF RSTATUS NE R AND PS26ID NE ZZZZ.

SORT NAMED, PS26ID, RETTYPE, RETSEQ.

SELECT PS26ID/F.

The first IF statement retrieves all reported data on known non-returnees (PSET 9).

The second IF statement retrieves all the comments (PSET26) corresponding to the PSET9 data selected by the first IF statement.

The merged sort arranges the PSET9 records in order by name of non-returnee and then DIA ID of the returnee reporting the data. The corresponding comments will follow each PSET9 record.

Use RIT OW922 with this RASP.

RASP NUMBER:

RW026

REPORT TITLE:

SUMMARY OF ALL NO MATCH NON-RETURNEES

REPORTED BY RETURNEE

(PARAM)

optional

TITLE RW026/026.

IF RECID NE E048,G006,S155,C141,R075,L065,B160,O025

AND (USETID EQ NM\$ AND USETF NE I,D)

SORT NAMED,RECID,DODC,RANKCF,USETID,'VVVV'.

SELECT USETID/F.

This RASP retrieves all PSET13 data reported on no match non-returnees by the returnees. Data reported by early returnees is not included. Also, no matches who were subsequently identified or deleted (indicated by I or D in USETF) are not included.

The data is sorted by name of returnee, then no match indicator. DIA ID, rank and service of the returnee is included in the sort key for use by the RIT.

Use RIT OW 24 with this RASP.

RASP NUMBER :

RW027

REPORT TITLE:

SUMMARY OF ALL UNKNOWN NON-RETURNEES

REPORTED BY RETURNEE

(PARAM)

optional

TITLE RW027/027.

IF RECID NE E048,G006,S155,C141,R075,L065,B160,O025

AND (PSETID EQ UN\$ AND PSETF NE I,D).

SORT NAMED,RECID,DODC,RANKCF,PSETID.

SELECT PSETID/F.

This RASP retrieves all PSETII data reported on unknown non-returnees by the returnees. Data reported by early returnees is not included. Also, unknowns who were subsequently identified or deleted (indicated by I or D in PSETF) are not included.

The data is sorted by name of returnee, then unknown indicator. DIA ID, rank, and service of the returnee is included in the sort key for use by the RIT.

Use RIT OW#25 with this RASP.

RASP NUMBER :

RWQ28

REPORT TITLE:

BIOGRAPHIC REPORT

TITLE RW#28/#28.

IF RSTATUS NE 'R', 'W' AND RECID 2/2 BT 0/6 AND RECID LE C\$.

SORT NAMED.

This RASP selects all non-returnees listed on the HOMECOMING file, excluding foreign nationals and supplementary records. In addition, this RASP will only select those personnel whose last name begins with the letter A, B, or C. This report is quite lengthy; therefore, if and when biographic data is requested, it should be retrieved on selective bases, e.g., by name or DIA ID range, service, shootdown date or country of loss, etc. The RASP will have to be included in the job deck with the required modifications.

Use RIT OW#17 with this RASP.

RASP NUMBER:

RWØ29

REPORT TITLE:

MISSION OF LOSS SUMMARY

(PARAM)

AIR FORCE NON-RETURNEES

TITLE RW#29/#29. IF DODC EQ AF AND RSTATUS NE 'R', 'W'.

SORT NAMED. SELECT RECID.

This RASP selects all Air Force non-returnees and sorts by name of non-returnee.

Use RIT OW@16 with this RASP.

RASP NUMBER:

RWØ 3Ø

REPORT TITLE:

STATUS OF PERSONNEL

(PARAM)

SEQ BY SERVICE, NAME

TITLE RWØ3Ø.

IF RECID EQ &RECID.

SORT DODC, NAMED.

SELECT RECID.

 $\,$ This RASP selects all records on the file and sorts by service and name.

Use RIT OW 20 with this RASP.

RASP NUMBER:

RW031

REPORT TITLE:

RECOVERED PRISONERS OF WAR

(PARAM)

SEQ BY SERVICE

TITLE RW931/931. IF RPRCG GE 730211 AND RSTATUS EQ R. SORT DODC, NAMED. SELECT RECID.

This RASP retrieves all personnel who have been released after 11 February 73 and sorts by service, then by name.

Use RIT OW928 with this RASP.

RASP NUMBER :

RW#32

REPORT TITLE:

RECOVERED PRISONERS OF WAR

(PARAM)

SEQ BY DATE OF RELEASE

TITLE RW#32/#32.

IF RPRCG GE 730211 AND RSTATUS EQ R.

SORT RPRCG, NAMED.

SELECT RECID.

This RASP retrieves all personnel who have been released after 11 February 1973, and sorts them by release date, then by name.

Use RIT OW 28 with this RASP.

RASP NUMBER:

RW033

REPORT TITLE:

RECOVERED PRISONERS OF WAR .

(PARAM)

SEQ NAME

TITLE RW#33/#33.

IF RPRCG GE 730211 AND RSTATUS EQ R.

SORT NAMED. SELECT RECID.

This RASP retrieves all personnel who have been released after 11 February 73, and sorts them by name.

Use RIT OW 28 with this RASP.

RASP NUMBER :

RW934

REPORT TITLE:

NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

(PARAM)

NAME

The following retrieval and sort processing statement is to aid the DIA analyst in his identification of unknown and no-match names reported by the returnee.

TITLE RW#34/#34.

IF RECID EQ &RECID.

SORT NAMED.

SELECT RECID.

 $\,$ This RASP retrieves all PW/MIAs and sorts them alphabetically by name.

Use RIT OW929 with this RASP.

RASP NUMBER :

RWØ35

REPORT TITLE:

NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

(PARAM)

FIRST NAME

The following retrieval and sort processing statement is to aid the DIA analyst in his identification of unknown and no-match names reported by the returnee.

TITLE RWØ35/Ø35. IF RECID EQ &RECID. SORT NAME1ST, NAMED. SELECT RECID.

This RASP retrieves all PW/MIAs and sorts them alphabetically by first name, then by full name.

Use RIT OW#3# with this RASP.

RASP NUMBER:

RW#36

REPORT TITLE:

NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

(PARAM)

MIDDLE NAME

The following retrieval and sort processing statement is to aid the DIA analyst in his identification of unknown and no-match names reported by the returnee.

TITLE RW#36/#36. IF RECID EQ &RECID. SORT NAMEMOL, NAMED. SELECT RECID.

This RASP retrieves all PW/MIAs and sorts them alphabetically by middle name, then by full name.

Use RIT OW931 with this RASP.

RASP NUMBER :

RWØ37

REPORT TITLE:

SHOOTDOWN INCIDENT REPORT

(PARAM)

INCIDENT DATE

The following retrieval and sort processing statement is to aid the DIA analyst in his identification of unknown and no-match names reported by the returnee.

TITLE RWØ37/Ø37.
IF RECID EQ &RECID.
SORT INCDATE, NAMED.
SELECT RECID.

This RASP retrieves all PW/MIAs and sorts them by date of incident, then by name.

Use RIT OW#32 with this RASP.

RASP NUMBER :

RW#38

REPORT TITLE:

NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

(PARAM)

AIRCRAFT/VEHICLE TYPE

The following retrieval and sort processing statement is to aid the DIA analyst in his identification of unknown and no-match names reported by the returnee.

TITLE RW\$38/\$38.

IF RECID EQ &RECID.

SORT ACFT,NAMED.

SELECT RECID.

This RASP retrieves all PW/MIAs and sorts them alphabetically by vehicle/aircraft, then by name.

Use RIT OW933 with this RASP.

RASP NUMBER :

RWØ39

REPORT TITLE:

NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

(PARAM)

HEIGHT

The following retrieval and sort processing statement is to aid the DIA analyst in his identification of unknown and no-match names reported by the returnee.

TITLE RW#39/#39.

IF RECID EQ &RECID.

SORT HEIGHT, NAMED.

SELECT RECID.

 $\,$ This RASP retrieves all PW/MIAs and sorts them by height, then by name.

Use RIT OWØ34 with this RASP.

RASP NUMBER :

RW040

REPORT TITLE:

NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

(PARAM)

WEIGHT

The following retrieval and sort processing statement is to aid the DIA analyst in his identification of unknown and no-match names reported by the returnee.

> TITLE RW040/040. IF RECID EQ &RECID. SORT WEIGHT, HEIGHT, NAMED. SELECT RECID.

This RASP retrieves all PW/MIAs and sorts them by weight, by height, and then by name.

RASP NUMBER:

RW041

REPORT TITLE: (PARAM)

NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

HAIR COLOR

The following retrieval and sort processing statement is to aid the DIA analyst in his identification of unknown and no-match names reported by the returnee.

TITLE RW041/041. IF RECID EQ &RECID. SORT HAIRC, HEIGHT, WEIGHT, NAMED. SELECT RECID.

This RASP retrieves all PW/MIAs and sorts them by hair color, by height, by weight, then by name.

Use RIT OW@36 with this RASP.

RASP NUMBER :

RW042

REPORT TITLE:

NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

(PARAM)

DATE OF BIRTH

The following retrieval and sort processing statement is to aid the DIA analyst in his identification of unknown and no-match names reported by the returnee.

TITLE RW#42/#42. IF RECID EQ &RECID. SORT YRB, NAMED. SELECT RECID.

This RASP retrieves all PW/MIAs and sorts them by year of birth, then by name.

RASP NUMBER:

RWØ43

REPORT TITLE:

No Title Line

(PARAM)

U S NAVY PERSONNEL SECONDARY NEXT OF

KIN LOCATION

TITLE RWØ43/Ø43. IF DODC EQ NA. SORT NAMED. SELECT RCABASE.

This RASP selects all Navy personnel listed on the HOMECOMING file and sorts by name of the individual.

RASE NUMBER: RWØ44
PEPORT TITLE: NON-RETURNEE PHOTO IDENTIFICATION

VERIFICATION REPORT

TITLE RW\$44/\$44.

IF NSETID EQ GNSETID AND NIDVER NE 'WWWWWWWW.

SORT NAMED, NRNAME. SELECT NSETID.

This RASP selects all name known non-returnee records who were identified through photo reference and sorts by name of non-returnee.

RASP NUMBER :

RW045

REPORT TITLE:

SUMMARY OF ALL UNKNOWN NON-RETURNEES

REPORTED BY RETURNEE

TITLE RW045/045.

IF RECID NE E948,G996,S155,C141,R975,L965,B169,O925 and (PSETID EQ UN\$ AND PSETF NE I,D).

SORT NAMED, RECID, DODC, RANKCF, PSETID, 'WWW'.

SELECT PSETID/F.

IF PS27ID EQ UN\$ AND NRTYPE EQ DC, DH, DI, FL, GC, NK, PC, UB AND RECID NE B160, C141, E048, G006, L065, O025, R075, S155.

SORT NAMED, RECID, DODC, RANKCF, PS27ID, NRTYPE, NRSEQ. SELECT PS27ID/F.

The first IF statement retrieves all data reported on Unknown non-returnees (PSET11) by the returnees. Reports by early returnees are not selected. Resolved Unknowns, indicated by an "I" or "D" in USETF, are excluded.

The second IF statement retrieves all the comments (PSET27) corresponding to the Unknown records selected in the first IF statement.

The merged sort arranges the PSET11 records in order by name of returnee followed by the corresponding comments. DIA ID, Service, and Rank are included in the sorts for use by the RIT.

RASP NUMBER:

RW046

REPORT TITLE:

SUMMARY OF ALL NO-MATCH NON-RETURNEES

REPORTED BY RETURNEE

TITLE RW046/046.

IF RECID NE EØ48,GØØ6,S155,C141,RØ75,LØ65,B16Ø,OØ25 AND

(USETID EQ NM\$ AND USETF NE I,D).

SORT NAMED, RECID, DODC, RANKCF, USETID, '14444'.

SELECT USETID/F.

IF PS27ID EQ NM\$ AND NRTYPE EQ DC,DH,DI,FL,GC,NK,PC,UB AND RECID NE B160,C141,E048,G006,L065,O025,R075,S155.

SORT NAMED,RECID,DODC,RANKCF,PS27ID,'2',NRTYPE,NRSEQ.

SELECT PS27ID/F.

The first IF statement retrieves all data reported on No-Match non-returnees (PSET13) by the returnees. Reports by early returnees are not selected. Resolved No-Matches, indicated by an "I" or "D" in USETF, are excluded.

The second IF statement retrieves all the comments (PSET27) corresponding to the No-Match records selected in the first IF statement.

The merged sort will arrange the PSET13 records in order by name of returnee followed by the corresponding comments. DIA ID, Service, and Rank are included in the sorts for use by the RIT.

RASP NUMBER:

RW047

REPORT TITLE:

NON-RETURNEE REPORT (NAME UNKNOWN)

This report is designed to be transmitted to the CONUS hospital debriefing sites via AUTODIN.

TITLE RW047/047.

IF RPRCG GE 739414 AND (PSETID EQ UN\$ AND PSETF NE I,D). SORT HOSP2, RECID, PSETID, 'L', 'bbbb', HOSP2 #THOSP2#.

SELECT PSETID/F.

IF RPRCG GE 730414 AND (PS27ID EQ UN\$ AND NRTYPE EQ DC,DH,DI,FL,GC,NK,PC,UB).

SORT HOSP2, RECID, PS27ID, '2', NRTYPE, NRSEQ, HOSP2 #THOSP2#.

SELECT PS27ID/F.

IF RPRCG GE 730414 AND DURECID EQ UN\$.

SORT HOSP2, RECID, DURECID, '9', 'YYYY', HOSP2 #THOSP2#.

SELECT DURECID/F.

This RASP selects unknowns reported by returnees who were released on or after a given date. The RASP is designed to be modified based on release date. Records are sorted by Hospital code (HOSP2) then DIA ID of returnee so that all records reported by each individual at a given hospital can be transmitted to that hospital in a single AUTODIN message. The hospital name is inserted at the end of the sort key for use by the RIT.

This first IF statement retrieves data reported on unknowns from PSET11. The second IF statement retrieves all comments (PSET27) pertaining to the unknowns selected in the first IF statement. The third IF statement retrieves all Death/Burial data (PSET25) reported on the unknowns selected by the first IF statement.

RASP NUMBER :

RW048

REPORT TITLE:

NON-RETURNEE REPORT (NO MATCH)

This report is designed to be transmitted to the CONUS hospital debriefing sites via AUTODIN.

TITLE RW048/048.

IF RPRCG GE 730414 AND (USETID EQ NM\$ AND USETF NE I,D). SORT HOSP2.RECID.USETID.'1'.'WWW'.HOSP2 #THOSP2#.

SELECT USETID/F.

IF PS27ID EQ NM\$ AND NRTYPE EQ DI AND RPRCG GE 730414.

SORT HOSP2, RECID, PS27ID, '2', 'DI', NRSEQ, HOSP2 #THOSP2#.

SELECT PS27ID/F.

IF PS27ID EQ NM\$ AND NRTYPE EQ GC AND RPRCG GE 730414.
SORT HOSP2, RECID, PS27ID, '5', NRTYPE, NRSEQ, HOSP2 #THOSP2#.

SORT HOSP2, RECID, PS27ID, '5', NRTYPE, NRSEQ, HOSP2 = SELECT PS27ID/F.

IF DURECID EO NMS AND RPRCG GE 730414.

SORT HOSP2, RECID, DURECID, '6', 'WWW', HOSP2 #THOSP2#.

SELECT DURECID/F.

This RASP selects no matches reported by returnees who were released on or after a given date. This RASP is designed to be modified based on release date. Records are sorted by Hospital code (HOSP2) then DIA ID of returnee so that all records reported by each individual at a given hospital can be transmitted to that hospital in a single AUTODIN message. The hospital name is inserted at the end of the sort key for use by the RIT.

The first IF statement retrieves data reported on no matches from PSET13. The next three IF statements retrieve all comments (PSET27) pertaining to the no matches selected in the first IF statement. The last IF statement retrieves all Death/Burial data (PSET25) reported on the no matches selected by the first IF statement.

RASP NUMBER :

RW#49

REPORT TITLE:

LIST OF NICKNAMES AF ONLY

TITLE RW\$49/\$49.

IF DODC EQ AF AND FLAG2A 1\$\\$/12 NE '\\$\\$\\$'.

SORT FLAG2A 1\$\\$/22,FLAG2A 23/35,FLAG2A 36/48.

SELECT RECID.

IF DODC EQ AF AND FLAG2A 23/25 NE '\\$\\$\\$'.

SORT FLAG2A 23/35,FLAG2A 1\$\\$/22,FLAG2A 36/48.

SELECT RECID.

IF DODC EQ AF AND FLAG2A 36/38 NE '\\$\\$\\$\\$'.

SORT FLAG2A 36/48,FLAG2A 1\$\\$/22,FLAG2A 23/35.

SELECT RECID.

This RASP selects out all $\mbox{\rm Air}$ Force personnel records that contain entries for nicknames.

The first IF statement retrieves all records with an entry in the first nickname field (positions 10-22 of FLAG2A).

The second IF statement retrieves all records with an entry in the second nickname field (positions 23-35 of FLAG2A).

The third IF statement retrieves all records with an entry in the third nickname field (positions 36-48 of FLAG2A).

The records are sorted by the nickname selected. All three nicknames are placed in the sort key for use by the RIT.

Use RIT OW@73 with this RASP.

RASP NUMBER:

RWØ5Ø

REPORT TITLE:

NON-RETURNEE PHOTO IDENTIFICATION

VERIFICATION REPORT

(PARAM)

UNKNOWNS

TITLE RW050/050.

IF PSETID EQ UN\$ AND DIDVER NE 'WWWWWWW.'.

SORT RECID, PSETID.

SELECT PSETID/F.

This RASP selects all unknown non-returnees who were subsequently identified through photo reference by the returnees. The records are sorted by DIA ID of the returnee and then unknown indicator of the non-returnee.

RASP NUMBER :

RWØ51

REPORT TITLE:

NON-RETURNEE PHOTO IDENTIFICATION

VERIFICATION REPORT

(PARAM)

NO-MATCHES

TITLE RW051/051.
IF USETID EQ NM\$ AND UIDVER NE 'WWWWWWW'.
SORT RECID, USETID.
SELECT USETID/F.

This RASP selects all no-match non-returnees who were subsequently identified through photo reference by the returnees. The records are sorted by DIA ID of the returnee and then no-match indicator of the non-returnee.

Use RIT OW#46 with this RASP.

RASP NUMBER:

RWØ52

REPORT TITLE:

STATUS OF AIR FORCE PERSONNEL IN SEA

(PARAM)

SEQ BY CREW POS, LOSS DATE

TITLE RW052/052.

IF DODC EQ AF AND RECID 2/2 BT Ø/8.

SORT FCREWPO, INCDATE.

SELECT RECID.

This RASP selects all Air Force personnel on the file and sorts by crew position and then incident date.

Use RIT OW#74 with this RASP.

RASP NUMBER :

RWØ53

REPORT TITLE:

STATUS OF AIR FORCE PERSONNEL IN SEA

(PARAM)

SEQ BY ACFT, CREW POS, LOSS DATE

TITLE RW053/053.

IF DODC EQ AF AND RECID 2/2 BT Ø/8.

SORT ACFT, FCREWPO, INCDATE.

SELECT RECID.

This RASP selects all Air Force personnel on the file and sorts by type aircraft, crew position, and then incident date.

Use RIT OW 74 with this RASP.

RASP NUMBER:

RWØ54

REPORT TITLE:

STATUS OF AIR FORCE PERSONNEL IN SEA

(PARAM)

SEQ BY CREW POS, STATUS, LOSS DATE

TITLE RWØ54/Ø54.

IF DODC EQ AF AND RECID 2/2 BT 4/8.

SORT FCREWPO, RSTATUS, INCDATE.

SELECT RECID.

This RASP selects all Air Force personnel on the file and sorts by crew position, status, and incident date.

Use RIT OW 174 with this RASP.

RASP NUMBER:

RWØ55

REPORT TITLE:

CONFINEMENT CHRONOLOGY SUMMARY

(PARAM)

optional

TITLE RW\$55/\$55.

IF DDBDATE EQ &DDBDATE.

SORT DDCAMP, DDBDATE, DDEDATE, NAMED.

SELECT DDBDATE/F.

This RASP selects all confinement chronology entries from PSET31 and sorts by camp name, then beginning date of confinement, then ending date of confinement.

RASP NUMBER:

RWØ56

REPORT TITLE:

(NO TITLE LINE)

(PARAM)

LOCATION, DATE OF LOSS OF PW/MIAS IN SEA

TITLE RWØ56/Ø56. IF RSTATUS NE 'W'.

SORT LAT, LONG, INCDATE, NAMED.

SELECT RECID.

This RASP retrieves all records with a valid status code and sorts by Latitude of Loss, Longitude of Loss, Incident Date, and Name of PW/MIA.

RASP NUMBER:

RWØ57

REPORT TITLE:

RECOVERED PRISONERS OF WAR

(PARAM)

HOSPITAL ASSIGNMENTS

TITLE RW057/057. IF RSTATUS EQ R AND RPRCG GE 730211. SORT HOSP2, NAMED.

This RASP retrieves all personnel who have been released after ll February 73 and sorts by hospital assignment and name.

Use RIT OW#52 with this RASP.

SELECT RECID.

RASP NUMBER :

RWØ58

REPORT TITLE:

MESSAGE LOG

(PARAM)

UNKNOWN AND NO MATCH

TITLE RW\$58/\$58.

IF RRECID EQ NM\$,UN\$.

SORT RECID,RRECID,RSTDTG.

SELECT RRECID/F.

This RASP selects all message log entries from PSET8 pertaining to Unknown and No Match casualty messages. The records are sorted by DIA ID of the returnee reporting, then unknown or no match indicator, then message date-time-group.

RASP NUMBER:

RW059

REPORT TITLE:

PSET27 CLEANUP

TITLE RW059/059. IF PS27ID NE ZZZZ. SORT RECID, PS27ID, NRTYPE, NRSEQ. SELECT PS27ID.

This RASP selects all comments records in PSET27 and sorts by DIA ID of returnee, then DIA ID of the non-returnee, type comment and comment sequence.

RASP NUMBER:

RW969

REPORT TITLE:

PSET11 CLEANUP

TITLE RW969/969.

IF PSETID NE 'WWW'.

SORT RECID, PSETID, PNRNAME, PLSTAT, PSETF, NAMED.

SELECT PSETID.

This RASP selects significant data from PSET11 and sorts by DIA ID of the returnee, then unknown indicator of the unknown non-returnee reported. The unknown non-returnee name and status, PSET11 Flag and name of returnee are inserted in the sort key for use by the RIT.

RASP NUMBER:

REPORT TITLE:

RW961 PSET9 CLEANUP

TITLE RW061/061. IF NSETID NE 'WWW'.

SORT RECID, NSETID, NRRPTNM, NLSTAT, NSETF, NRNAME.

SELECT NSETID.

This RASP selects significant data from PSET9 and sorts by DIA ID of the non-returnee, then DIA ID of the returnee. The "reported Name" of the non-returnee, non-returnee status, PSET9 Flag and name of returnee are inserted in the sort key for use by the RIT.

RASP NUMBER:

RWØ62

REPORT TITLE:

PSET13 CLEANUP

TITLE RW062/062. IF USETID NE 'VVVV'.

SORT RECID, USETID, UNRNAME, ULSTAT, USETF, NAMED.

SELECT RECID.

This RASP selects significant data from PSET13 and sorts by DIA ID of the returnee, then no match indicator of the no match non-returnee reported. The no match non-returnee name and status, PSET13 Flag, and name of returnee are inserted in the sort key for use by the RIT.

RASP NUMBER :

RWØ63

REPORT TITLE:

PSET26 CLEANUP

TITLE RWØ63/Ø63.
IF PS26ID NE 2222.
SORT RECID, PS26ID, RETTYPE, RETSEQ.
SELECT PS26ID.

This RASP selects all comments pertaining to Name Known non-returnees. The records are sorted by DIA ID of the non-returnee, then DIA ID of the returnee reporting the data, then type comment and comment sequence.

RASP NUMBER:

RW065

REPORT TITLE:

MESSAGE LOG

(PARAM)

SEQ BY RETURNEE DIA ID

TITLE RWØ65/Ø65.

IF PRECID NE UN\$,NM\$.

SORT RRECID,RECID,RSTDTG.

SELECT RRECID/F.

This RASP selects all message log entries from PSET8 except those pertaining to Unknown and No Match messages. The records are sorted by DIA ID of the returnee, then DIA ID of the non-returnee reported and then the date-time-group of the message.

RASP NUMBER:

RWØ66

REPORT TITLE:

SUMMARY OF ALL NON-RETURNEES REPORTED AND

CANDIDATE DIA IDENTIFIER

(PARAM)

AIR FORCE PERSONNEL TO BE RETURNED FROM SEA

TITLE RW066/066.

IF RSTATUS NE R AND DODC EQ AF AND FLAG2 EQ R,L AND NSETID NE ZZZZ.

SORT NAMED, NSETID, 'WWW'.

SELECT NSETID/F.

IF RSTATUS NE R AND DODC EQ AF AND FLAG2 EQ R,L AND PS26ID NE 2222.

SORT NAMED, PS26ID, RETTYPE, RETSEQ.

SELECT PS26ID/F.

The first IF statement retrieves all non-returnee periodic data (PSET9) pertaining to all Air Force personnel listed by the North Vietnamese to be returned (indicated by R or L in the field FLAG2) but not yet returned.

The second IF statement retrieves all comments corresponding to data selected in the first IF statement.

The merged sort arranges the comments reported on each non-returnee immediately behind the PSET9 data reported on that non-returnee in the order of Name of non-returnee and then DIA ID of the returnee reporting the data.

RASP NUMBER:

RW067

REPORT TITLE:

SUMMARY OF ALL NON-RETURNEES REPORTED AND

CANDIDATE DIA IDENTIFIER

(PARAM)

AF PERSONNEL NOT RETURNED FROM SEA

TITLE RW067/067.

IF RSTATUS NE R AND DODC EQ AF AND NSETID NE XX\$.

SORT NAMED, NSETID, 'WWW'.

SELECT NSETID/F.

IF RSTATUS NE R AND DODC EQ AF AND PS26ID NE XX\$.

SORT NAMED, PS26ID, RETTYPE, RETSEQ.

SELECT PS26ID/F.

The first IF statement retrieves all non-returnee periodic data (PSET9) pertaining to Air Force non-returnees.

The second IF statement retrieves all comments corresponding to data selected in the first IF statement.

The merged sort arranges the comments reported on each non-returnee immediately behind the PSET9 data reported on that non-returnee in the order of Name of non-returnee and then DIA ID of the returnee reporting the data.

RASP NUMBER:

RW968

REPORT TITLE:

SUMMARY OF ALL NON-RETURNEES REPORTED AND

CANDIDATE DIA IDENTIFIER

(PARAM)

MARINE CORPS PERSONNEL TO BE RETURNED FROM SEA

TITLE RW968/968.

IF RSTATUS NE R AND DODC EQ MC AND FLAG2 EQ R,L AND NSETID NE ZZZZ.

SORT NAMED,NSETID,'YYYY'.

SELECT NSETID/F.

IF RSTATUS NE R AND DODC EQ MC AND FLAG2 EQ R,L AND PS26ID NE ZZZZ.

SORT NAMED,PS26ID,RETTYPE,RETSEQ.

The first IF statement retrieves all non-returnee periodic data (PSET9) pertaining to all Marine Corps personnel listed by the North Vietnamese to be returned (indicated by R or L in the field FLAG2) but not yet returned.

The second IF statement retrieves all comments corresponding to data selected in the first IF statement.

The merged sort arranges the comments reported on each non-returnee immediately behind the PSET9 data reported on that non-returnee in the order of Name of non-returnee and DIA ID of the returnee reporting the data.

Use RIT OW\$58 with this RASP.

SELECT PS26ID/F.

RASP NUMBER:

RW069

REPORT TITLE:

SUMMARY OF ALL NON-RETURNFES REPORTED AND

CANDIDATE DIA IDENTIFIER

(PARAM)

MC PERSONNEL NOT RETURNED FROM SEA

TITLE RW\$69/\$69.

IF RSTATUS NE R AND DODC EQ MC AND NSETID NE XX\$.

SORT NAMED, NSETID, 'WWW'.

SELECT NSETID/F.

IF RSTATUS NE R AND DODC EQ MC AND PS26ID NE XX\$.

SORT NAMED, PS26ID, RETTYPE, RETSEQ.

SELECT PS26ID/F.

The first IF statement retrieves all non-returnee periodic data (PSET9) pertaining to Marine Corps non-returnees.

The second IF statement retrieves all comments corresponding to data selected in the first IF statement.

The merged sort arranges the comments reported on each non-returnee immediately behind the PSET9 data reported on that non-returnee in the order of Name of non-returnee and then DIA ID of the returnee reporting the data.

RASP NUMBER :

RW070

REPORT TITLE:

SUMMARY OF ALL 1 ON-RETURNEES REPORTED AND

CANDIDATE DIA IDENTIFIER

(PARAM)

ARMY PERSONNEL TO BE RETURNED FROM SEA

TITLE RWØ7Ø/Ø7Ø.

IF RSTATUS NE R AND DODC EQ AR AND FLAG2 EQ R,L AND NSETID NE 2222.

SORT NAMED, NSETID, 'WWW'.

SELECT NSETID/F.

IF RSTATUS NE R AND DODC EQ AR AND FLAG2 EQ R,L AND PS26ID NE 2222.

SORT NAMED, PS26ID, RETTYPE, RETSEQ.

SELECT PS26ID/F.

The first IF statement retrieves all non-returnee periodic data (PSET9) pertaining to all Army personnel listed by the North Vietnamese to be returned (indicated by R or 1. 10 the field FLAG2) but not yet returned.

The second IF statement retrieves all comments corresponding to data selected in the first IF statement.

The merged sort arranges the comments reported on each non-returnee immediately behind the PSET9 data reported on that non-returnee in the order of Name of non-returnee and then DIA ID of the returnee reporting the data.

RASP NUMBER:

RW071

REPORT TITLE:

SUMMARY OF ALL NON-RETURNEES REPORTED AND

CANDIDATE DIA IDENTIFIER

(PARAM)

ARMY PERSONNEL NOT RETURNED FROM SEA

TITLE RWØ71/Ø71.

IF RSTATUS NE R AND DODC EQ AR AND NSETID NE XX\$.

SORT NAMED, NSETID, 'WWW'.

SELECT NSETID/F.

IF RSTATUS NE R AND DODC EQ AR AND PS26ID NE XX\$.

SORT NAMED, PS26ID, RETTYPE, RETSEQ.

SELECT PS26ID/F.

The first IF statement retrieves all non-returnee periodic data (PSET9) pertaining to Army non-returnees.

The second IF statement retrieves all comments corresponding to data selected in the first IF statement.

The merged sort arranges the comments reported on each non-returnee immediately behind the PSET9 data reported on that non-returnee in the order of Name of non-returnee and then DIA ID of the returnee reporting the data.

RASP NUMBER:

RW072

REPORT TITLE:

SUMMARY OF ALL NON-RETURNEES REPORTED AND

CANDIDATE DIA IDENTIFIER

(PARAM)

NAVY PERSONNEL TO BE RETURNED FROM SEA

TITLE RW072/072.

IF RSTATUS NE R AND DODC EQ NA AND FLAG2 EQ R,L AND NSETID NE ZZZZ.

SORT NAMED,NSETID,'WWW'.

SELECT NSETID/F.

IF RSTATUS NE R AND DODC EQ NA AND FLAG2 EQ R,L AND PS26ID NE ZZZZ.

SORT NAMED,PS26ID,RETTYPE,RETSEQ.

SELECT PS26ID/F.

The first IF statement retrieves all non-returnee periodic data (PSET9) pertaining to all Navy personnel listed by the North Vietnamese to be returned (indicated by R or L in the field FLAG2) but not yet returned.

The second IF statement retrieves all comments corresponding to data selected in the first IF statement.

The merged sort arranges the comments reported on each non-returnee immediately behind the PSET9 data reported on that non-returnee in the order of Name of non-returnee and then DIA ID of the returnee reporting the data.

RASP NUMBER:

RWØ73

REPORT TITLE:

SUMMARY OF ALL NON-RETURNEES REPORTED AND

CANDIDATE DIA IDENTIFIER

(PARAM)

NAVY PERSONNEL NOT RETURNED FROM SEA

TITLE RWØ73/Ø73.

IF RSTATUS NE R AND DODC EQ NA AND NSETID NE XX\$.

SORT NAMED, NSETID, 'WWW'.

SELECT NSETID/F.

IF RSTATUS NE R AND DODC EQ NA AND PS26ID NE XX\$.

SORT NAMED, PS26ID, RETTYPE, RETSEQ.

SELECT PS26ID/F.

The first IF statement retrieves all non-returnee periodic data (PSET9) pertaining to Navy non-returnees.

The second IF statement retrieves all comments corresponding to data selected in the first IF statement.

The merged sort arranges the comments reported on each non-returnee immediately behind the PSET9 data reported on that non-returnee in the order of Name of non-returnee and then DIA ID of the returnee reporting the data.

RASP NUMBER:

RWØ74

REPORT TITLE:

PSET29 CLEANUP

TITLE RW074/074. IF PS29ID EQ &PS29ID. SORT RECID,PS29ID,DERTYP,DERSEQ. SELECT PS29ID.

This RASP selects all confinement chronology comments from PSET29 and sorts by DIA ID of the returnee, then beginning date of confinement, comment type, and comment sequence.

RASP NUMBER:

RW076

REPORT TITLE:

MESSAGE LOG

(PARAM)

SEQ BY NON-RETURNEE DIA ID

TITLE RW076/076. IF RRECID EQ \$RRECID. SORT RECID, RRECID, RSTDTG. SELECT RRECID/F.

This RASP selects all message log entries from PSET8 except those pertaining to Unknown or No Match messages. The records are sorted by DIA ID of the non-returnee reported and then by the DIA ID of the returnee and then by date-time-group of the message.

Use RIT OW#53 with this RASP.

RASP NUMBER :

RWØ78

REPORT TITLE:

CAPTIVITY MEDICAL TREATMENT SUMMARY

(PARAM)

SEQ BY NAME

TITLE RWØ78/Ø78.
IF MTSETID EQ &MTSETID.
SORT NAMED,MTSETID.
SELECT MTSETID/F.

This RASP selects all Captivity Medical Treatment DEREPS and sorts by name of returnee and then event (DEREP) number.

RASP NUMBER :

RW079

REPORT TITLE:

CAPTIVITY MEDICAL TREATMENT SUMMARY

(PARAM)

SEQ BY ILLNESS/INJURY

TITLE RW079/079. IF MTSETID EQ &MTSETID.

SORT MTILLIN, NAMED. SELECT MTSETID/F.

This RASP selects all Captivity Medical Treatment DEREPS and sorts by Illness/Injury and then by name of returnee.

RASP NUMBER:

RWØ8Ø

REPORT TITLE:

CAPTIVITY MEDICAL TREATMENT SUMMARY

(PARAM)

SEQ BY SYMPTOMS/CAUSE

TITLE RW\$89/989. IF MTSETID EQ &MTSETID. SORT MTSYMPT 1/29,NAMED. SELECT MTSETID/F.

This RASP selects all Captivity Medical Treatment DEREPS and sorts by Symptoms/Cause and then by name of returnee.

RASP NUMBER:

RW981

REPORT TITLE:

DEATH/BURIAL (UNKNOWNS AND NO MATCHES)

TITLE RW081/081.

IF DURECID EQ &DURECID.

SORT RECID, DURECID, '1', 'WWW'.

SELECT DURECID/F.

IF PS27ID EQ &PS27ID.

SORT RECID, PS27ID, '2', NRTYPE, NRSEQ.

SELECT PS27ID/F.

The first IF statement retrieves all Death/Burial data reported on Unknowns and No-Matches (PSET25).

The second IF statement retrieves all comments associated with the Death/Burial data selected by the first IF statement.

The merged sort arranges the comments immediately behind the (PSET25) data for each Unknown or Non-Returnee reported.

RASP NUMBER:

RWØ82

REPORT TITLE:

ASSESSMENT REPORT

This RASP is designed to be modified to select returnees based on specific release dates. This report was transmitted to the respective CONUS hospital locations of the individual returnees via AUTODIN.

TITLE RW082/082.

IF RPRCG GE 730411 AND AAREPTN EQ &AAREPTN.

SORT HOSP2, DODC, NAMED, AAREPTN.

SELECT AAREPTN.

This RASP selects Assessment Report data (PSET7) of returnees based on selected release dates. The records are sorted by the returnee's CONUS hospital code (HOSP2), then service of the returnee, name, and then Assessment Report number.

Use RIT OW#38 with this RASP.

RASP NUMBER :

RWØ83

REPORT TITLE:

U S PERSONNEL RETURNED FROM SOUTHEAST ASIA

CAPTIVITY

(PARAM)

optional

TITLE RWØ83/Ø83.

IF RPRCG GE 730212 AND DODC EQ AF, AR, MC, NA, CV.

SORT NAMED. SELECT RECID/F.

This RASP selects all personnel returned from SEA after 11 February 1973 except foreign nationals. The records are sorted by name of returnee.

Use RIT OWØ63 with this RASP.

RASP NUMBER:

RWØ86

REPORT TITLE:

ENEMY INTELLIGENCE ACTIVITY SUMMARY

(PARAM) SEQ BY DATE WITHIN CAMP

TITLE RW\$86/\$86.

IF IISETID EQ &IISETID AND IILDATE NE 'WWWW'.

SORT IILDATE, IICAMPN.

SELECT IISETID/F.

This RASP retrieves all Enemy Intelligence Activity records for which the field Last Event Date is not blank and sorts by Last Event Date and Camp Name.

Use RIT OW965 with this RASP.

RASP NUMBER: RWØ87
REPORT TITLE: ENEMY INTELLIGENCE ACTIVITY SUMMARY
(PARAM) SEQ BY YEAR-1

TITLE RWØ87/Ø87.

IF IISETID EQ &IISETID AND IIYEAR1 NE 'WW'.

SORT IIYEAR1, IICAMPN. SELECT IISETID/F.

This RASP retrieves all Enemy Intelligence Activity records for which the field Year-1 of Event is not blank and sorts by Year-1 of Event and Camp Name.

Use RIT OW965 with this RASP.

RASP NUMBER :

RW0'88

REPORT TITLE:

DEREP MISTREATMENT CLEANUP

TITLE RW\$88/\$88.

IF MISETID EQ &MISETID.

SORT '1', RECID, MISETID.

SELECT MISETID.

IF MISETID EQ &MISETID.

SORT '2', RECID, MISETID.

SELECT MISETID.

IF MISETID EQ &MISETID.

SORT '3', RECID, MISETID.

SELECT MISETID.

IF MISETID EQ &MISETID.

SORT '4', RECID, MISETID.

SELECT MISETID.

SELECT MISETID.

This RASP retrieves all Mistreatment DEREP data in PSET15 and sorts by DIA ID of the returnee and then DEREP event number. The constant 1, 2, 3, or 4 is inserted in the sort key for use by the RIT.

Use RIT OWØ44 with this RASP.

RASP NUMBER :

RWØ89

REPORT TITLE:

DEREP ID-ENEMY-PER CLEANUP

TITLE RWØ89/Ø89.

IF ICSETID EQ &ICSETID.

SORT '1', RECID, ICSETID.

IF ICSETID EQ &ICSETID.

SORT '2', RECID, ICSETID.

SELECT ICSETID.

IF ICSETID EQ &ICSETID.

IF ICSETID EQ &ICSETID.

SORT '3', RECID, ICSETID.

SORT '3', RECID, ICSETID.

SELECT ICSETID.

This RASP retrieves all Identification of Enemy Personnel DEREP data in PSET17 and sorts by DIA ID of the returnee and then the DEREP event number. The constant 1, 2, or 3 is inserted in the sort key for use by the RIT.

RASP NUMBER:

RWØ9Ø

REPORT TITLE:

DEREP VLTY-OF-PROP CLEANUP

TITLE RW99/090.

IF VPSETID EQ &VPSETID.

SORT '1', RECID, VPSETID.

IF VPSETID EQ &VPSETID.

SORT '2', RECID, VPSETID.

SELECT VPSETID.

IF VPSETID EQ &VPSETID.

SORT '3', RECID, VPSETID.

SELECT VPSETID.

IF VPSETID EQ &VPSETID.

IF VPSETID EQ &VPSETID.

SORT '4', RECID, VPSETID.

SELECT VPSETID.

This RASP retrieves all Validity of Propaganda DEREP data in PSET16 and sorts by DIA ID of the returnee and then DEREP event number. The constant 1, 2, 3, or 4 is inserted in the sort key for use by the RIT.

Use RIT OW@68 with this RASP.

RASP NUMBER :

RW091

REPORT TITLE:

DEREP ENEMY-INT-AC CLEANUP

TITLE RW091/091.

IF IISETID EQ &IISETID.

SORT '1', RECID, IISETID.

SELECT IISETID.

IF IISETID EQ &IISETID.

SORT '2', RECID, IISETID.

SELECT IISETID.

IF IISETID EQ &IISETID.

SORT '3', RECID, IISETID.

SELECT IISETID.

This RASP retrieves all Enemy Intelligence Activity DEREP data in PSET18 and sorts by DIA ID of the returnee and then DEREP event number. The constant 1, 2, or 3 is inserted in the sort key for use by the RIT.

Use RIT OW#47 with this RASP.

RASP NUMBER:

RWØ92

REPORT TITLE:

DEREP SHTDWN/CAPTR CLEANUP

TITLE RW#92/#92.

IF SHSETID EQ &SHSETID.

SORT '1', RECID, SHSETID.

IF SHSETID EQ &SHSETID.

SORT '2', RECID, SHSETID.

SELECT SHSETID.

IF SHSETID EQ &SHSETID.

SORT '3', RECID, SHSETID.

SELECT SHSETID.

IF SHSETID EQ &SHSETID.

SELECT SHSETID.

SELECT SHSETID.

SORT '4', RECID, SHSETID.

SELECT SHSETID.

This RASP retrieves all Shootdown/Capture DEREP data in PSET19 and sorts by DIA ID of the returnee and then DEREP event number. The constant 1, 2, 3, or 4 is inserted in the sort key for use by the RIT.

Use RIT OW#48 with this RASP.

RASP NUMBER:

RW093

REPORT TITLE:

DEREP MED-TREATMENT CLEANUP-DEREP

MESSAGE-LOG CLEANUP

TITLE RW093/093. IF MTSETID EQ &MTSETID. SORT '1', RECID, MTSETID. SELECT MTSETID. IF MTSETID EQ &MTSETID. SORT '2', RECID, MTSETID. SELECT MTSETID. IF MTSETID EQ &MTSETID. SORT '3', RECID, MTSETID. SELECT MTSETID. IF MTSETID EQ &MTSETID. SORT '4', RECID, MTSETID. SELECT MTSETID. IF MTSETID EQ &MTSETID. SORT '5', RECID, MTSETID. SELECT MTSETID. IF MLUPSID EQ &MLUPSID. SORT '6', RECID, MLUPSID,

This RASP selects all Medical Treatment data found in PSET2Ø and sorts by DIA ID of the returnee and DEREP event number. In addition, all DEREP message log data from PSET22 is selected.

The constants 1, 2, 3, 4, 5, or 6 are inserted in the sort keys for use by the RIT.

Use RIT OW049 with this RASP.

SELECT MLUPSID.

RASP NUMBER:

RW100

REPORT TITLE:

SHOOTDOWN/CAPTURE (DEREP)

TITLE RW199/199.

IF SHSETID EQ SH\$.

SORT RECID, SHSETID, '1%%%'.

SELECT SHSETID/F.

IF MLUPSID EQ SH\$.

SORT RECID, MLUPSID, '2%%%'.

SELECT MLUPSID/F.

IF CRONTYP EQ SR.

SORT RECID, PS28ID, '3', CRONTYP, CRONSEQ, '%'.

SELECT PS28ID/F.

FILE NAPWCMT.

IF EGRID EQ SH\$.

SORT RECID, EGRID, '4', SEQ.

SELECT EGRID/F.

The first IF statement retrieves all Shootdown/Capture data from PSET19.

The second IF statement retrieves all DEREP Message Log (PSET22) records pertaining to Shootdown/Capture DEREPS.

The third IF statement retrieves all DEREP Comment (PSET28) records pertaining to "Reasons for SAR Failure" (indicated by SR 'n the field CRONTYP) of the Shootdown/Capture DEREPS.

The fourth IF statement retrieves all Additional Comments pertaining to Shootdown/Capture DEREPS from the Additional Comments File (NAPWCMT).

The merged sort arranges the Shootdown/Capture DEREPS in the order of DIA ID of the returnee and then by event (DEREP) number. The data for each DEREP is arranged so that the PSET19 data is followed by the PSET22 data followed by the Additional Comments.

Use RIT OWIGO with this RASP.

RASP NUMBER :

RW101

REPORT TITLE:

CAPTIVITY MEDICAL TREATMENT (DEREP)

TITLE RW101/101.

IF MTSETID EQ MT\$.

SORT RECID, MTSETID, '1WWW'.

SELECT MTSETID/F.

IF MLUPSID EQ MT\$.

SORT RECID, MLUPSID, '2WWW'.

SELECT MLUPSID/F.

IF CRONTYP EQ MT, RM.

SORT RECID, PS28ID, '3', CRONTYP, CRONSEQ.

SELECT CRONTYP/F.

FILE NAPWCMT.

IF EGRID EQ MT\$.

SORT RECID, EGRID, '4', SEQ, ''.'

SELECT EGRID/F.

The first IF statement retrieves all Captivity Medical Treatment data from PSET20.

The second IF statement retrieves all DEREP Message Log (PSET22) records pertaining to Captivity Medical Treatment DEREPS.

The third IF statement retrieves all DEREP comments (PSET28) records pertaining to "Other Treatment" and "Results" (indicated by MT and RM respectively) of the Captivity Medical Treatment DEREPS.

The fourth IF statement retrieves all Additional Comments pertaining to Captivity Medical Treatment DEREPS from the Additional Comments File (NAPWCMT).

The merged sort arranges the Captivity Medical Treatment DEREPS in the order of DIA ID of the returnee and then by event (DEREP) number. The datm for each DEREP is arranged so that the PSET2Ø data is followed by the PSET22 data followed by the PSET28 data followed by the Additional Comments.

RASP NUMBER:

RW1@2

REPORT TITLE:

IDENTIFICATION OF ENEMY PERSONNEL (DEREP)

TITLE RW102/102.

IF ICSETID EQ &ICSETID,

SORT RECID, ICSETID, '1WW'.

SELECT ICSETID/F.

IF MLUPSID EQ EP\$.

SORT RECID, MLUPSID, '2WW'.

SELECT MLUPSID/F.

FILE NAPWCMT.

IF EGRID EQ EP\$.

SORT RECID, EGRID, '3', SEQ.

SELECT EGRID/F.

The first IF statement retrieves all Identification of Enemy Personnel data from PSET17.

The second IF statement retrieves all DEREP Message Log (PSET22) records pertaining to Identification of Enemy Personnel DEREPS.

The third IF statement retrieves all Additional Comments pertaining to Identification of Enemy Personnel DEREPS from the Additional Comments File (NAPWCMT).

The merged sort arranges the Identification of Enemy Personnel DEREPS in the order of DIA ID of the returnee and then by event (DEREP) number. The data for each DEREP is arranged so that PSET17 data is followed by the PSET22 data followed by the Additional Comments.

RASP NUMBER :

RW1Ø3

REPORT TITLE:

MISTREATMENT (DEREP)

TITLE RW103/103.

IF MISETID EQ ME\$.

SORT RECID, MISETID, '1WW'.

SELECT MISETID/F.

IF MLUPSID EQ ME\$.

SORT RECID, MLUPSID, '2WW'.

SELECT MLUPSID/F.

FILE NAPWCMT.

IF EGRID EQ ME\$.

SORT RECID, EGRID, '3', SEQ.

SELECT EGRID/F.

The first IF statement retrieves all Mistreatment data from PSET15.

The second IF statement retrieves all DEREP Message Log (PSET22) records pertaining to Mistreatment DEREPS.

The third IF statement retrieves all Additional Comments pertaining to Mistreatment DEREPS from the Additional Comments File (NAPWCMT).

The merged sort arranges the Mistreatment DEREPS in the order of DIA ID of the returnee and then by event (DEREP) number. The data for each DEREP is arranged so that the PSET15 data is followed by the PSET22 data followed by the Additional Comments.

RASP NUMBER:

RW104

REPORT TITLE:

ENEMY INTELLIGENCE ACTIVITY (DEREP)

TITLE RW104/104.

IF IISETID EQ &IISETID.

SORT RECID, IISETID, '1888'.

SELECT IISETID/F.

IF MLUPSID EQ IE\$.

SORT RECID, MLUPSID, '2888'.

SELECT MLUPSID/F.

IF CRONTYP EQ DE.

SORT RECID, PS28ID, '3', CRONTYP, CRONSEQ.

SELECT CRONTYP/F.

FILE NAPWCMT.

IF EGRID EQ IE\$.

SORT RECID, EGRID, '4', SEQ, '8'.

SELECT EGRID/F.

The first IF statement retrieves all Enemy Intelligence Activity data from PSET18.

The second IF statement retrieves all DEREP Message Log (PSET22) records pertaining to Enemy Intelligence Activity DEREPS.

The third IF statement retrieves all DEREP comment (PSET28) records pertaining to "Details of Event" (indicated by DE in the field CRONTYP) of the Enemy Intelligence Activity DEREPS,

The fourth IF statement retrieves all Additional Comments pertaining to Enemy Intelligence Activity DEREPS from the Additional Comments File (NAPWCMT).

The merged sort arranges the Enemy Intelligence Activity DEREPS in the order of DIA ID of the returnee and then by event (DEREP) number. The data for each DEREP is arranged so that the PSET18 data is followed by the PSET22 data followed by the PSET28 data followed by the Additional Comments.

RASP NUMBER:

RW1Ø5

REPORT TITLE:

VALIDITY OF PROPAGANDA (DEREP)

TITLE RW105/105.

IF VPSETID EQ PE\$.

SORT RECID, VPSETID, '1888'.

SELECT VPSETID/F.

IF MLUPSID EQ PE\$.

SORT RECID, MLUPSID, '2888'.

SELECT MLUPSID/F.

IF CRONTYP EQ RP.

SORT RECID, PS28ID, '3', CRONTYP, CRONSEQ.

SELECT CRONTYP/F.

FILE NAPWCMT.

IF EGRID EQ PE\$.

SORT RECID, EGRID, '4', SEQ, '8'.

The first IF statement retrieves all Validity of Propaganda data from PSET16.

The second IF statement retrieves all DEREP Message Los (PSET22) records pertaining to Validity of Propaganda DEREPS.

The third IF statement retrieves all DEREP comment (PSET28) records pertaining to "Results of Participation" (Indicated by RP in the field CRONTYP) of the Validity of Propaganda DEREPS.

The fourth IF statement retrieves all Additional Comments pertaining to Validity of Propaganda DEREPS from the Additional Comments File (NAPWCMT).

The merged sort arranges the Validity of Propaganda DEREPS in the order of DIA ID of the returnee and then by event (DEREP) number. The data for each DEREP is arranged so that the PSET16 data is followed by the PSET22 data followed by the PSET28 data followed by the Additional Comments.

RASP NUMBER :

RW108

REPORT TITLE:

LOSS/CAPTURE SUMMARY

TITLE RW108/108.

IF RSTATUS EQ R AND SHSETID EQ SHSETID.

SORT NAMED, SHCLOSS, SHPLOSS.

SELECT SHSETID/F.

This RASP retrieves loss and capture location data from the Shootdown/Capture DEREP data (PSET19) reported by Air Force returnees.

RASP NUMBER:

RW1Ø9

REPORT TITLE:

CONFINEMENT CHRONOLOGY REPORT

(PARAM)

optional

TITLE RW109/109.

IF RSTATUS EQ R AND DDBDATE EQ &DDBDATE.

SORT NAMED 1/15, DDBDATE, 'WWW'.

SELECT DDBDATE/F.

IF RSTATUS EQ R AND PS29ID EQ &PS29ID. SORT NAMED 1/15,PS28ID,DERTYP,DERSEQ.

SELECT PS29ID/F.

The first IF statement retrieves all Confinement Chronology data (PSET31) of returnees and sorts by Name of the returnee and then Beginning Date.

The second IF statement retrieves all Confinement Chronology Comments (PSET29) relating to the data selected in the first IF statement.

The merged sort arranges the comments behind the camp description records.

RASP NUMBER :

RW110

REPORT TITLE:

DEREP COMMENTS---PSET 28---CLEANUP REPORT

TITLE RW110/110.
IF PS28ID EQ &PS28ID.

SORT RECID, PS28ID, CRONTYP, CRONSEQ.

SELECT PS28ID/F.

This RASP selects all comments records pertaining to DEREPS located in PSET28 of the file NAPWWW and sorts by DIA ID of the returnee, DEREP event number, type comment, and sequence.

NOTE: These comments are not to be confused with DEREP additional comments which are found on the file, NAPWCMT.

RASP NUMBER: RW111
REPORT TITLE: DEREP

DEREP ADDITIONAL COMMENTS CLEANUP REPORT

TITLE RW111/111. IF RECID EQ &RECID. SORT RECID, EGRID, SEQ. SELECT RECID/F.

This RASP selects all records on the DEREP Comments file (NAPWCMT) and sorts by DIA ID of the returnee and then DEREP Identifier and Sequence number.

RASP NUMBER :

RW112

REPORT TITLE:

ENEMY PERSONNEL SUMMARY

(PARAM)

SEQ BY NICKNAMES

TITLE RW112/112.
IF ICSETID EQ &ICSETID.
SORT ICNAME1,ICNAME2.
SELECT ICSETID/F.

This RASP selects all Identification of Enemy Personnel DEREP data in PSET17 and sorts by Nickname-1, then Nickname-2 of the enemy personnel reported.

RASP NUMBER:

RW113

REPORT TITLE:

UNIDENTIFIED PICTURES OF PWS

(PARAM)

optional

TITLE RW113/113.

IF UIPICNO EQ &UIPICNO. SORT UIPICNO, RECID. SELECT UIPICNO/F.

This RASP selects all data reported on photographs of unidentified prisoners (PSET12). The selected records are sorted by Photo Number and then DIA ID of the returnee reporting the data.

RASP NUMBER:

RW114

REPORT TITLE:

CONFINEMENT CHRONOLOGY/CAPTURE REPORT SEQ BY NAME

(PARAM)

TITLE RW114/114. IF DDCAPDT EQ &DDCAPDT. SORT NAMED.

SELECT DDCAPDT/F.

This RASP selects all data related to each returnee's capture (PSET30) and sorts by Name of returnee.

RASP NUMBER: RW115
REPORT TITLE: DEREP MESSAGE LOG
(PARAM) optional

TITLE RW115/115. IF MLUPSID EQ &MLUPSID. SORT NAMED, MLUPSID. SELECT MLUPSID/F.

This RASP selects all data pertaining to DEREP messages and sorts by name of returnee and then DEREP event number.

RASP NUMBER:

RW116

REPORT TITLE:

PSET25 CLEANUP REPORT

TITLE RW116/116.
IF DURECID EQ &DURECID.
SORT RECID, DURECID.
SELECT DURECID/F.

This RASP selects all data concerning the Death/Burial of Unknown and No-Match non-returnees (PSET25). The records are sorted by DIA ID of the returnee reporting the data and then by the non-returnee designator.

RASP NUMBER:

RW117

REPORT TITLE:

PSET24 CLEANUP REPORT

TITLE RW117/117.
IF BRECID EQ &BRECID.
SORT RECID, BRECID.
SELECT BRECID/F.

This RASP selects all Death/Burial data reported on name known non-returnees. The records are sorted by DLA ID of the non-returnee and then DIA ID of the returnee reporting.

RASP NUMBER :

RW119

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY NAME

TITLE RW119/119.
IF VPSETID EQ &VPSETID.
SORT NAMED, VPSETID.
SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records and sorts by name of returnee.

RASP NUMBER:

RW123

RASP NUMBER .

REPORT TITLE: SHOOTDOWN/CAFION(PARAM) SEQ BY TYPE AIRCRAFT SHOOTDOWN/CAPTURE SUMMARY

TITLE RW123/123.

IF SHSETID EQ &SHSETID.

SORT SHTYPEA.

SELECT SHSETID/F.

This RASP retrieves all Shootdown/Capture DEREPS and sorts by Type Aircraft.

RASP NUMBER :

RW124

REPORT TITLE:

SHOOTDOWN/CAPTURE SUMMARY

(PARAM)

SEQ BY REASON FOR AIRCRAFT LOSS

TITLE RW124/124. IF SHSETID EQ &SHSETID. SORT SHREAL1. SELECT SHSETID/F.

This RASP retrieves all Shootdown/Capture DEREPS and sorts by Reason for Aircraft Loss.

RASP NUMBER: RW125
REPORT TITLE: SHOOTDOWN/CAPTURE SUMMARY
(PARAM) SEQ BY TYPE MISSION

TITLE RW125/125. IF SHSETID EQ &SHSETID. SORT SHMTYPE. SELECT SHSETID/F.

This RASP retrieves all Shootdown/Capture DEREPS and sorts by Type Mission.

RASP NUMBER:

RW126

REPORT TITLE:

SHOOTDOWN/CAPTURE SUMMARY

(PARAM)

SEQ BY TYPE TARGET

TITLE RW126/126.

IF SHSETID EQ &SHSETID.

SORT SHTTYPE.

SELECT SHSETID/F.

 $\,$ This RASP retrieves all Shootdown/Capture DEREPS and sorts by Type Target.

RASP NUMBER :

RW127

REPORT TITLE:

SHOOTDOWN/CAPTURE SUMMARY SEQ BY SHOOTDOWN INJURY

(PARAM)

TITLE RW127/127. IF SHSETID EQ &SHSETID. SORT SHSINJ1. SELECT SHSETID/F.

This RASP retrieves all Shootdown/Capture DEREPS and sorts by Shootdown Injury.

RASP NUMBER :

RW128

REPORT TITLE:

PRISONERS OF WAR RETURNED FROM SEA

(PARAM)

SOCIAL SECURITY NUMBERS

TITLE RW128/128.

IF RPRCG GE 73Ø211 AND DODC NE FN.

SORT NAMED.
SELECT RPRCG/F.

This RASP selects all returnees released after 10 February 1973 (except foreign nationals) and sorts by name of returnee.

RASP NUMBER:

RW13Ø

REPORT TITLE:

CONSOLIDATED DEREP SUMMARY

TITLE RW130/130.

IF IISETID EQ &IISETID.

SORT RECID, IIYEAR1, 'WWW', IILDATE, 'IE'.

SELECT IISETID.

IF MISETID EQ &MISETID.

SORT RECID, MIBDATE, MIEDATE, 'ME'.

SELECT MISETID.

IF VPSETID EQ &VPSETID.

SORT RECID, VPBDATE, VPEDATE, 'PE'.

SELECT VPSETID.

This RASP combines the data of three DEREPS into one report.

The first IF statement selects Enemy Intelligence Activity records and sorts by DIA ID of the returnee and dates of the event. The letters 'IE' are appended to the sort key to identify these records to the RIT as Enemy Intelligence Activity records.

The second IF statement selects Mistreatment records and sorts by DIA ID of the returnee and then by dates of the event. The letters 'ME' are appended to the sort key to identify these records to the RIT as Mistreatment records.

The third IF statement retrieves all Validity of Propaganda records and sorts by DIA ID of the returnee and then by dates of the event. The letters 'PE' are appended to the sort key to identify these records to the RIT as Validity of Propaganda records.

The merged sort arranges the various events (i.e., Mistreatment, Validity of Propaganda, and Enemy Intelligence Activity) concerning each returnee in order by the date that those events occurred.

Use RIT OW066 with this RASP.

RASP NUMBER:

RW131

REPORT TITLE:

CASUALTY RESOLUTION REPORT

NAME KNOWN

(PARAM)

optional

TITLE RW131/131.

IF NSETID EQ XXX\$.

SORT RECID, NSETID, '1#WWW'.

SELECT NSETID/F.

IF BRECID EQ XXX\$.

SORT RECID, BRECID, '2#WW'.

SELECT BRECID/F.

IF PS26ID EQ XXX\$.

SORT RECID, PS26ID, '3', RETTYPE, RETSEQ.

SELECT PS26ID/F.

The first IF statement retrieves all PSET9 (non-returnee name known) records pertaining to casualty resolution.

NOTE: X's in the first three positions of NSETID, BRECID and PS26ID indicate a casualty resolution record.

The second IF statement retrieves all PSET24 (non-returnee name known death/burial) records concerning casualty resolution data.

The third IF statement retrieves all PSET26 (comments) records concerning casualty resolution.

The merged sort will place all casualty resolution records for each non-returnee in the order of PSET9 followed by PSET24 followed by PSET26.

Use RIT OW067 with this RASP.

RASP NUMBER:

RW133

REPORT TITLE:

LOSS, DEATH/BURIAL LOCATION

TITLE RW133/133.

IF RECID EQ &RECID.

SORT RECID, 'INNUN'.

SELECT RECID.

IF (BUTMCO 1/4 NE 'NNNN') OR (BLAT 1/4 NE 'NNNN').

SORT RECID, '2', BRECID.

SELECT BRECID.

The first IF statement retrieves the fixed set data of all records.

The second IF statement retrieves all Non-Returnee Death/Burial data (PSET24) for which either UTM Coordinates of Burial or Latitude of Burial are not blank.

The merged sort will place all reported Death/Burial Location data on an individual behind the fixed data of that individual.

Use RIT OW969 with this RASP.

RASP NUMBER:

RW134

REPORT TITLE:

CONFINEMENT CHRONOLOGY REPORT

(PARAM)

AIR FORCE PERSONNEL

TITLE RW134/134.

IF DODC EQ AF AND DDBDATE EQ &DDBDATE.

SORT RECID. DDBDATE, 'WWW'.

SELECT DDBDATE/F.

IF DODC EQ AF AND DDBDATE EQ &DDBDATE.

SORT RECID, PS29ID, DERTYP, DERSEQ.

SELECT PS29ID/F.

The first IF statement retrieves all Confinement Chronology data (PSET31) of all Air Force returnees and sorts by Name of the returnee and then Beginning Date of confinement.

The second IF statement retrieves all Confinement Chronology Comments (PSET29) relating to the data selected by the first IF statement.

The merged sort arranges the comments behind the camp description records.

RASP NUMBER:

RW135

REPORT TITLE: (PARAM)

ENEMY PERSONNEL SUMMARY

SEQ BY DIA PHOTO REF

TITLE RW135/135.

IF ICSETID EQ &ICSETID AND ICDIAP1 NE 'WWWWW'.

SORT ICDIAP1,ICDIAP2.

SELECT ICSETID/F.

This RASP selects all Identification of Enemy Personnel DEREP data in PSET17 in which DIA Photo Reference-1 is not blank and sorts by DIA Photo Reference 1 and 2.

RASP NUMBER:

RW136

REPORT TITLE:

MISTREATMENT SUMMARY SEQ BY NAME

(PARAM)

TITLE RW136/136. IF MISETID EQ &MISETID. SORT NAMED, RECID. SELECT MISETID/F.

This RASP selects all Mistreatment DEREPS and sorts by Name and then DIA ID of the returnee.

Use RIT OW\$64 with this RASP.

RASP NUMBER: RW137
REPORT TITLE: SHOOTDOWN/CAPTURE SUMMARY

(PARAM)

SEQ BY REASON FOR SAR FAILURE

TITLE RW137/137.

IF SHSETID EQ &SHSETID.

SORT SHREVAF.

SELECT SHSETID/F.

This RASP retrieves all Shootdown/Capture DEREPS and sorts by Reason for SAR Failure.

RASP NUMBER:

RW138

REPORT TITLE:

CASUALTY RESOLUTION REPORT

NAME KNOWN

(PARAM)

AIR FORCE PERSONNEL

This RASP is a modification of RW131 to select only casualty resolution records for Air Force personnel.

Use RIT OWØ67 with this RASP.

RASP NUMBER :

RW139

REPORT TITLE:

CASUALTY RESOLUTION REPORT

NAME KNOWN

(PARAM)

ARMY PERSONNEL

TITLE RW139/139.

IF NSETID EQ XXX\$ AND DODC EQ AR.

SORT RECID, NSETID, '1####'.

SELECT NSETID/F.

IF BRECID EQ XXX\$ AND DODC EQ AR.

SORT RECID, BRECID, '2####'.

SELECT BRECID/F.

IF PS26ID EQ XXX\$ AND DODC EQ AR.

SORT RECID, PS26ID, '3', RETTYPE, RETSEQ.

SELECT PS26ID/F.

This RASP is a modification of RW131 to select only casualty resolution records for Army Personnel.

Use RIT OW067 with this RASP.

RASP NUMBER:

RW140

REPORT TITLE:

CASUALTY RESOLUTION REPORT

NAME KNOWN

(PARAM)

MARINE CORPS PERSONNEL

TITLE RW140/140.

IF NSETID EQ XXX\$ AND DODC EQ MC.

SORT RECID,NSETID,'10000'.

SELECT NSETID/F.

IF BRECID EQ XXX\$ AND DODC EQ MC.

SORT RECID,BRECID,'20000'.

SELECT BRECID/F.

IF PS26ID EQ XXX\$ AND DODC EQ MC.

SORT RECID,PS26ID,'3',RETTYPE,RETSEQ.

SELECT PS26ID/F.

This RASP is a modification of RW131 to select only casualty resolution records for Marine Corps personnel.

Use RIT OW@67 with this RASP.

RASP NUMBER:

RW141

REPORT TITLE:

CASUALTY RESOLUTION REPORT

NAME KNOWN

(PARAM)

NAVY PERSONNEL

TITLE RW141/141.

IF NSETID EQ XXX\$ AND DODC EQ NA.

SORT RECID, NSETID, '1¥¥¥\$'.

SELECT NSETID/F.

IF BRECID EQ XXX\$ AND DODC EQ NA.

SORT RECID, BRECID, '2¥¥\$\$'.

SELECT BRECID/F.

IF PS26ID EQ XXX\$ AND DODC EQ NA.

SORT RECID, PS26ID, '3', RETTYPE, RETSEQ.

SELECT PS26ID/F.

This RASP is a modification of RW131 to select only casualty resolution records for Navy personnel.

Use RIT OW067 with this RASP.

RASP NUMBER:

RW142

REPORT TITLE:

CASUALTY RESOLUTION REPORT

NAME KNOWN

(PARAM)

CIVILIAN AND FOREIGN PERSONNEL

This RASP is a modification of RW131 to select only casualty resolution records for civilian and foreign personnel.

Use RIT OWØ67 with this RASP.

RASP NUMBER: RW143
REPORT TITLE: AIRCRAFT TAIL NUMBER

TITLE RW143/143. IF RSTATUS NE R. SORT NAMED. SELECT RECID.

This RASP retrieves all non-returnee records and sorts by Name. Use RIT OW#72 with this RASP.

RASP NUMBER:

RW144

REPORT TITLE: KW144
REPORT TITLE: HOSPITAL ASSIGNMENTS

TITLE RW144/144. IF RSTATUS EQ R AND RPRCG GE 730211. SORT HOSP2, DODC, NAMED. SELECT RECID.

This RASP retrieves all personnel who have been released after 11 February 73 and sorts by hospital assignment, by service, and by name.

Use RIT OW 23 with this RASP.

RASP NUMBER: RW145
REPORT TITLE: VALIDITY OF PROPAGANDA SUMMARY
(PARAM) SEQ BY BEGINNING DATE

TITLE RW145/145.

IF VPSETID EQ &VPSETID AND VPBDATE NE 'YWWWW'.

SORT VPBDATE, VPEDATE. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Beginning Date is not blank and sorts by Beginning Date and Ending Date.

RASP NUMBER:

RW146

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY TYPE COERCION-1

TITLE RW146/146.

IF VPSETID EQ &VPSETID AND VPCOER1 1/6 NE 'WWWW'.

SORT VPCOER1, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Type Coercion-1 is not blank and sorts by Type Coercion-1 and DIA 1D.

RASP NUMBER :

RW147

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY TYPE COERCION-2

TITLE RW147/147.

IF VPSETID EQ &VPSETID AND VPCOER2 1/6 NE 'WWWWW'.

SORT VPCOER2, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda Records in which Type Coercion-2 is not blank and sorts by Type Coercion-2 and DIA ID.

RASP NUMBER:

RW148

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY TYPE COERCION-3

TITLE RW148/148.

IF VPSETID EQ &VPSETID AND VPCOER3 1/6 NE 'WWWW'.

SORT VPCOER3, RECID.

SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Type Coercion-3 is not blank and sorts by Type Coercion-3 and DIA ID.

RASP NUMBER:

RW149

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY TYPE COERCION-4

TITLE RW149/149.

IF VPSETID EQ &VPSETID AND VPCOER-4 1/6 NE 'WWWW'.

SORT VPCOER-4, RECID.

SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Type Coercion-4 is not blank and sorts by Type Coercion-4 and DIA ID.

RASP NUMBER:

RW150

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY TYPE COERCION-5

TITLE RW150/150.

IF VPSETID EQ &VPSETID AND VPCOERS 1/6 NE 'WWWW'.

SORT VPCOER5, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Type Coercion-5 is not blank and sorts by Type Coercion-5 and DIA ID.

RASP NUMBER :

RW151

REPORT TITLE: (PARAM)

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY SIZE OF GROUP

TITLE RW151/151. IF VPSETID EQ &VPSETID AND VPSIZEG 1/6 NE 'WWW'. SORT VPSIZEG, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Size of Group is not blank and sorts by Size of Group and DIA ID.

RASP NUMBER:

RW152

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY PHASE OF CAPTIVITY

TITLE RW152/152.

IF VPSETID EQ &VPSETID AND VPPHASE 1/6 NE 'WWWW'.

SORT VPPHASE, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Phase of Captivity is not blank and sorts by Phase of Captivity and DIA ID.

RASP NUMBER :

RW153

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY CAMP .. AME

TITLE RW153/153.

IF VPSETID EQ &VPSETID AND VPCAMPN 1/6 NE 'WWWWW'.

SORT VPCAMPN, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Camp Name is not blank and sorts by Camp Name and DIA ID.

RASP NUMBER:

RW154

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY FOREIGN PRESS-1

TITLE RW154/154.

IF VPSETID EQ &VPSETID AND VPFORP1 1/6 NE 'WWWW'.

SORT VPFORP1, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Foreign Press-1 is not blank and sorts by Foreign Press-1 and DIA ID.

RASP NUMBER:

RW155

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY FOREIGN PRESS-2

TITLE RW155/155.

IF VPSETID EQ &VPSETID AND VPFORP2 1/6 NE 'WWWWW'.

SORT VPFORP2, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Foreign Press-2 is not blank and sorts by Foreign Press-2 and DIA ID.

RASP NUMBER :

RW156

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY FOREIGN PRESS-3

TITLE RW156/156.

IF VPSETID EQ &VPSETID AND VPFORP3 1/6 NE 'WWWWW'.

SORT VPFORP3, RECID.

SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Foreign Press-3 is not blank and sorts by Foreign Press-3 and DIA ID.

RASP NUMBER:

RW157

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY FOREIGN PRESS-4

TITLE RW157/157.

IF VPSETLD EQ &VPSETID AND VPFORP4 1/6 NE 'WWWWW'. SORT VPFORP4, RECID.

SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Foreign Press-4 is not blank and sorts by Foreign Press-4 and DIA ID.

RASP NUMBER :

RW158

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY FOREIGN PRESS-5

TITLE RW158/158.

IF VPSETID EQ &VPSETID AND VPFORP5 1/6 NE 'WWWWW'.

SORT VPFORP5, RECID.

SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Foreign Press-5 is not blank and sorts by Foreign Press-5 and DIA ID.

RASP NUMBER:

REPORT TITLE:

RW159 VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY FOREIGN PRESS-6

TITLE RW159/159.

IF VPSETID EQ &VPSETID AND VPFORP6 1/6 NE 'WWWWW'.

SORT VPFORP6, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Foreign Press-6 is not blank and sorts by Foreign Press-6 and DIA ID.

REPORT TITLE:

RASP NUMBER: RW16Ø REPORT TITLE: VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY RANK

TITLE RW160/160. IF PSETID EQ &VPSETID. SORT RANKCF, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records and sorts by Rank of Returnee and DIA ID.

RASP NUMBER:

RW161

RASP NUMBER: REPORT TITLE: VALIDITY OF PROPAGANDA SUMMARY
(PARAM) SEQ BY CAMP NICKNAME-1

TITLE RW161/161.

IF VPSETID EQ &VPSETID AND VPCMPN1 1/6 NE 'WWWWW'.

SORT VPCMPN1, RECID. SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Camp Nickname-1 is not blank and sorts by Camp Nickname-1 and DIA ID.

RASP NUMBER :

RW162

REPORT TITLE:

MISTREATMENT SUMMARY

(PARAM)

SEQ BY TYPE MISTREATMENT-1

TITLE RW162/162.
IF MISETID EQ &MISETID.
SORT MITYPE1, RECID.
SELECT MISETID/F.

This RASP selects all Mistreatment DEREPS for which the field Type Mistreatment-1 is not blank and sorts by Type Mistreatment-1 and then DIA ID of the returnee.

Use RIT OW964 with this RASP.

RASP NUMBER: RW163
REPORT TITLE: MISTREATMENT SUMMARY
(PARAM) SEQ BY TYPE MISTREATMENT-2

TITLE RW163/163. IF MISETID EQ &MISETID. SORT MITYPE2, RECID. SELECT MISETID/F.

This RASP selects all Mistreatment DEREPS for which the field Type Mistreatment-2 is not blank and sorts by Type Mistreatment-2 and then DIA ID of the returnee.

Use RIT OW064 with this RASP.

RASP NUMBER :

RW164

REPORT TITLE:

MISTREATMENT SUMMARY

(PARAM)

SEQ BY TYPE MISTREATMENT-3

TITLE RW164/164.

IF MISETID EQ &MISETID. SORT MITYPE3, RECID. SELECT MISETID/F.

This RASP selects all Mistreatment DEREPS for which the field Type Mistreatment-3 is not blank and sorts by Type Mistreatment-3 and then DIA ID of the returnee.

Use RIT OW964 with this RASP.

RASP NUMBER: RW165
REPORT TITLE: MISTREATMENT SUMMARY
(PARAM) SEQ BY BEG DATE, END DATE

TITLE RW165/165. IF MISETID EQ &MISETID. SORT MIBDATE, MIEDATE. SELECT MISETID/F.

This RASP selects all Mistreatment DEREPS for which the field Beginning Date is not blank and sorts by Beginning Date and then End Date.

Use RIT OW#64 with this RASP.

RASP NUMBER:

RW166

REPORT TITLE:

(PARAM)

MISTREATMENT SUMMARY SEQ BY PHASE OF CAPTIVITY

TITLE RW166/166. IF MISETID EQ &MISETID. SORT MIPHASE, RECID. SELECT MISETID/F.

This RASP selects all Mistreatment DEREPS for which the field Phase of Captivity is not blank and sorts by Phase of Captivity and then DIA ID of the returnee.

Use RIT OW964 with this RASP.

RASP NUMBER:

REPORT TITLE:

(PARAM)

RW167 MISTREATMENT SUMMARY SEQ BY REASON FOR MISTREATMENT

TITLE RW167/167.

IF MISETID EQ &MISETID AND MIREASO 1/10 NE 'WWWWWWWW.

SORT MIREASO 1/20, RECID.

SELECT MISETID/F.

This RASP retrieves all Validity of Propaganda records in which Reason for Mistreatment is not blank and sorts by Reason for Mistreatment and DIA ID.

Use RIT OW#64 with this RASP.

RASP NUMBER:

RW168

REPORT TITLE:

MISTREATMENT SUMMARY

(PARAM)

SEQ BY RESULTS OF MISTREATMENT

TITLE RW168/168.

IF MISETID EQ &MISETID AND MIRESUL 1/10 NE 'WWWWWWWW.

SORT MIRESUL 1/20, RECID.

SELECT MISETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Results of Mistreatment is not blank and sorts by Results of Mistreatment and DIA ID.

Use RIT OW964 with this RASP.

RASP NUMBER: RW169
REPORT TITLE: MISTREATMENT SUMMARY
(PARAM) SEQ BY RANK OF RETURNEE

TITLE RW169/169. IF MISETID EQ &MISETID. SORT RANKCF, RECID. SELECT MISETID/F.

This RASP retrieves all Validity of Propaganda records and sorts by Rank of Returnee and DIA ID.

Use RIT OW964 with this RASP.

RASP NUMBER :

RW170

KEPORT TITLE:

ENEMY INTELLIGENCE ACTIVITY SUMMARY

(PARAM)

SEQ BY TYPE ACTIVITY

TITLE RW_70/170.

IF IISETID EQ &IISETID AND IIEINTA 1/6 NE 'WWWWW'.

SORT IIEINTA, RECID. SELECT IISETID/F.

This RASP retrieves and Enemy Intelligence Activity records for which the field Type Activity is not blank and sorts by Type Activity and Dia ID.

Use RIT OW@65 with this ASF.

RASP NUMBER:

RW171

REPORT TITLE:

ENEMY INTELLIGENCE ACTIVITY SUMMARY

(PARAM)

SEQ BY DATE

TITLE RW171/171.

IF IISETID EQ &IISETID AND IILDATE NE 'WYWWW'.

SORT IILDATE, RECID. SELECT IISETID/F.

This RASP retrieves all Enemy Intelligence Activity records for which the field Last Event Date is not blank and sorts by Last Event Date and DIA ID.

Use RIT OW#65 with this RASP.

RASP NUMBER :

RW172

REPORT TITLE.

ENEMY INTELLIGENCE ACTIVITY SUMMARY

(PARAM)

SEQ BY SIZE OF GROUP

TITLE RW172/172.

IF IISETID EQ &IISETID AND IISTZEG NE 'WWW'
SORT IISIZEG, RECID.
SELECT IISETID/F.

This RASP retrieves all Enemy Intelligence Activity records to: which the field Size of Group is not blank and sorts by Size of Group and DIA ID.

Use FI" OW065 with this RASP.

RASP NUMBER: RW173
REPORT TITLE: ENEMY INTELLIGENCE ACTIVITY SUMMARY
(PARAM) SEQ BY PHASE OF CAPTIVITY

TITLE RW173/173.

IF TISETID EQ & LISETID AND TIPHASE 1/6 NE 'WWWW'. SORT IIPHASE.RECID.

SELECT IISETID/F.

This RASP retrieves all Enemy Intelligence Activity records for which the field Phase of Captivity is not blank and sorts by Phase of Cap. ivity and DIA ID.

Use RIT OW965 with this RASP.

RASP NUMBER :

RW174

REPORT TITLE:

ENEMY INTELLIGENCE ACTIVITY SUMMARY

(PARAM)

SEQ BY CAMP NAME

TITLE RW174/174.

IF IISETID EQ &IISETID AND IICAMPN 1/6 NE 'WWWW'.

SORT IICAMPN, RECID. SELECT IISETID/F.

This RASP retrieves all Enemy Intelligence Activity records for which the field Camp Name is not blank and sorts by Camp Name and DIA ID.

Use RIT OW 65 with this RASP.

RASP NUMBER:

RW175

REPORT TITLE: ENFMY INTELLIGENCE ACTIVITY SUMMARY (PARAM) SEQ BY CAMP NICKNAME-1

TITLE RW175/175.

IF IISETID EQ &IISETID AND IICMPN1 1/6 NE 'WWWWW'.

SORT IICMPN1, RECID. SELECT IISETID/F.

This RASP retrieves all Enemy Intelligence Activity records for which the field Camp Nickname-1 is not blank and sorts by Camp Nickname-1 and DIA ID.

Use RIT OW\$65 with this kaCP.

RASP NUMBER:

RW176

REPORT TITLE:

ENEMY INTELLIGENCE ACTIVITY SUMMARY

(PARAM)

SEQ BY RANK OF RETURNEE

TITLE RW176/176.
IF IISETID EQ &/ISETID.
SORT RANKCF, RECID

This RASP retrieves all Enemy Intelligence Activity records and sorts by Rank of Returnee and DIA ${\tt ID.}$

Use RIT OW\$65 with this RASP.

RASP NUMBER :

RW177

REPORT TITLE: (PARAM)

MISTREATMENT SUMMARY

PARAM) SEQ BY CAMP NAME

TITLE RW177/177.

IF MISETID EQ &MISETID AND MICAMPN 1/6 NE 'WWWW'.

SORT MICAMPN, RECID. SELECT MISETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Camp Name is not blank and sorts by Camp Name and DIA ID.

Use RIT OW@64 with this RASP.

RASP NUMBER:

RW178

REPORT TITLE:

MISTREATMENT SUMMARY

(PARAM)

SEQ BY CAMP NICKNAME-1

TITLE RW178/178.

IF MISETID EQ &MISETID AND MICMPN1 1/6 NE 'WWWWW'.

SORT MICMPN1, RECID.

SELECT MISETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Camp Nickname-1 is not blank and sorts by Camp Nickname-1 and DIA ID.

Use RIT OW\$64 with this RASP.

RASP NUMBER:

RW179

REPORT TITLE:

VALIDITY OF PROPAGANDA SUMMARY

(PARAM)

SEQ BY TYPE PROPAGANDA

TITLE RW179/179.

IF VPSETID EQ &VPSETID AND VPTYPEP 1/6 NE 'WWWW'.

SORT VPTYPEP, RECID.

SELECT VPSETID/F.

This RASP retrieves all Validity of Propaganda records in which the field Type Propaganda is not blank and sorts by Type Propaganda and DIA ID.

Use RIT OW118 with this RASP.

RASP NUMBER:

RW18Ø

REPORT TITLE:

ROSTER OF RETURNEES AND DEBRIEFERS

(PARAM) SEQ BY RETURNEE

TITLE RW180/180.

IF DODC EQ AF AND RPRCG GE 730211.

SORT NAMED.

SELECT RECID.

This RASP retrieves all Λir Force returnees and sorts by Name of Returnee.

Use RIT OW#75 with this RASP.

RASP NUMBER: RW181

REPORT TITLE: ROSTER OF RETURNEES AND DEBRIEFERS
(PARAM) SEQ BY DEBRIEFER

TITLE RW181/181. IF DODC EQ AF AND RPRCG GE 730211. SORT FLAGIA 1/23. SELECT RECID.

This RASP retrieves all Air Force returnees and sorts by Name of Debriefer.

Use RIT OW#75 with this RASP.

APPENDIX J

CATALOGED REPORT INSTRUCTION TABLES (RIT)

RITID:

OWØØ1

REPORT TITLE: PW/MIA NEXT-OF-KIN REPORT

This report lists all PW/MIAs and their next of kin. The primary sort field is hospital assignment and this hospital name is printed on the top of each page. When the hospital name changes, a new page is started.

This report contains the following data elements:

NAME OF PW/MIA CURRENT RANK DATE OF INCIDENT SERIAL NUMBER CURRENT STATUS DATE OF BIRTH NAME OF RELATION RELATIONSHIP CODE NOK RELATION STATUS NUMBER OF CHILDREN-PRIMARY NOK CITY LOCATION OF RELATION STATE ZIP CODE

RASP RWØØ1 is used with this RIT.

RITID:

OWØØ4

REPORT TITLE: NUMBER OF PW/MIAS ASSIGNED TO THE INDIVIDUAL

CONUS HOSPITALS

This report is used to produce a statistical report which provides the total number of Air Force personnel assigned to each CONUS hospital by PW/MIA and returnee.

This report calculates totals using the following data elements:

NAME OF PW/MIA/RETURNEE CURRENT STATUS HOSPITAL ASSIGNMENT

RASP RW004 is used with this RIT.

RITID:

OWØØ5

REPORT TITLE: SEA PW/MIA LIST

This report provides a listing of all PW/MIA personnel lost in Southeast Asia.

This report contains the following data elements:

DIA ID OF PW/MIA

SHORT NAME (First 5 positions of PW/MIA's Last Name)

NAME

CURRENT RANK

SERVICE

SERIAL NUMBER

STATUS

LOSS RANK

NVN STATUS LIST

RASPS RW005

RWØØ6

RWØØ7

RWØØ8

RWØØ9

RWØ1Ø

RWØ11 can be used with this RIT.

OWØ10 RITID:

REPORT TITLE: PW/MIA CREW MEMBER LIST

This report is a list of PW/MIAs with their respective crew members. Only those PW/MIAs with crew members are listed.

This report contains the following data elements:

DIA ID OF PW/MIA NAME LOSS RANK SERVICE NVN STATUS LIST CURRENT STATUS DATE OF INCIDENT COUNTRY OF INCIDENT CREW POSITION AIRCRAFT DIA ID OF CREW MEMBER NAME OF CREW MEMBER CURRENT STATUS OF CREW MEMBER CREW POSITION OF CREW MEMBER

RASP RW014 to used with this RIT.

RITID:

0WØ13

REPORT TITLE: NON-RETURNEE PHOTO IDENTIFICATION VERIFICATION

REPORT

This report is used by returnees to verify previously identified photos of non-returnees.

This report lists the following data elements:

DIA ID OF RETURNEE

NAME

DIA ID OF NON-RETURNEE

NAME

REPORTED STATUS

CURRENT STATUS

LOSS RANK/GRADE

REPORTED RANK/GRADE

SERVICE

REPORTED SERVICE

PHOTO IDENTITY VERIFICATION

PAGE NUMBER-DIA PRECAPTURE PHOTO VOLUME

ID NUMBER-DIA POST CAPTURE PHOTO VOLUME

RASP RW944 is used with this RIT.

RITID:

0WØ16

REPORT TITLE: MISSION OF LOSS SUMMARY

This report summarizes the information available on the last mission of each prisoner or missing in action.

This report lists the following data elements:

NAME OF PW/MIA
PERSONAL AUTHENTICATOR NUMBER
ORGANIZATION ASSIGNED
CREW POSITION
AIRCRAFT TAIL NUMBER
PACAF INDEX FILE PAGE NUMBER
TYPE OF MISSION
TYPE OF TARGET
SAR ATTEMPTED (YES,NO)
SURVIVAL EVIDENCE
CAPTIVITY EVIDENCE

RASP RW\$29 is used with this RIT.

RITID:

OWØ17

REPORT TITLE: BIOGRAPHIC REPORT

This report provides detailed biographic information on each U. S. prisoner of war, missing in action, and returnee.

This report lists the following data elements:

NAME OF PW/MIA/RETURNEE

DIA ID

LOSS RANK

CURRENT RANK

SERVICE

SERIAL NUMBER

CURRENT STATUS

SERVICE STATUS

ORGANIZATION ASSIGNED

HEIGHT

WEIGHT

HAIR COLOR

EYE COLOR

DATE OF BIRTH

PLACE OF BIRTH

RACE

RELIGIOUS PREFERENCE

HOME OF RECORD

NAME OF RELATIVE

RELATIONSHIP CODE

CITY LOCATION OF RELATION

STATE LOCATION OF RELATION

ZIP CODE OF RELATION

CAS ASSISTANCE BASE FOR RELATION

NUMBER OF CHILDREN-PRIMARY NOK

HOSPITAL ASSIGNMENT

DATE OF INCIDENT

COUNTRY OF INCIDENT

CREW POSITION

TYPE OF AIRCRAFT INVOLVED

AIRCRAFT TAIL NUMBER

NAMES OF CREW MEMBERS

CREW POSITIONS

CURRENT STATUS OF CREW MEMBERS

RASP RW#28 is used with this RIT.

RITID: OW#18

REPORT TITLE: LIST OF PW/MIA, COUNTRY OF LOSS, AND DATE OF INCIDENT

This report produces a listing of PW/MIAs, country and date of loss, and a total number of losses by each service including civilians in each country in Southeast Asia and China.

This report lists the following data elements and also uses them to calculate totals:

NAME OF PW/MIA
CURRENT RANK
SERVICE
SERVICE NUMBER
COUNTRY OF LOSS
CURRENT STATUS
DATE OF LOSS

RASP RWØ19 is used with this RIT.

RITID:

OWØ2Ø

REPORT TITLE: STATUS OF PERSONNEL IN SEA

This report lists all the PW/MIAs in Southeast Asia with a NVN/ Laos Return Indicator, if supplied by NVN authorities.

This report contains the following data elements:

DIA ID OF PW/MIA NAME CURRENT RANK RANK AT TIME OF LOSS SERVICE DATE OF INCIDENT COUNTRY OF INCIDENT AIRCRAFT/VEHICLE HOSPITAL ASSIGNMENT STATUS NVN STATUS LIST

RASPs RWØ22

RWØ23

RWØ30 can be used with this RIT.

RITID:

OWØ21

REPORT TITLE: SUMMARY OF ALL NON-RETURNEES REPORTED AND

CANDIDATE DIA IDENTIFIER

This report summarizes all the information received from returnees concerning known prisoners who were not returned.

This report contains the following data elements:

NAME OF NON-RETURNEE

DIA ID

SERVICE

CURRENT RANK

RANK FROM DIA FILE

LOSS RANK

CURRENT STATUS

STATUS FROM DIA FILE

STATUS FROM INDIVIDUAL'S BRANCH OF SERVICE

NAME OF RETURNEE

REPORTED NAME OF NON-RETURNEE

REPORTED STATUS

RANK/GRADE

SERVICE

DATE OF LAST INFORMATION

SOURCE OF INFORMATION

PHYSICAL CONDITION CODE

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

TOTAL NUMBER OF NON-RETURNEES REPORTED

RASP RW024 is used with this RIT.

RITID: OWØ22

REPORT TITLE: SUMMARY OF ALL NON-RETURNEES REPORTED AND

CANDIDATE DIA IDENTIFIER

This report is a summary of all information reported by returnees on known non-returnees, including comments.

This report contains the following data elements:

NAME OF NON-RETURNEE

DIA ID

SERVICE

CURRENT RANK

DIA RANK

LOSS RANK

CURRENT STATUS

DIA STATUS

SERVICE STATUS

REPORTED NAME

RANK/GRADE

SERVICE

REPORTED STATUS

INFORMATION SOURCE

DATE OF LAST INFO

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

PHYSICAL CONDITION CODE

COMMENTS

NAME OF RETURNEE

DIA ID OF RETURNEE

RASP RW025 is used with this RIT.

RITID:

OWØ23

REPORT TITLE: HOSPITAL ASSIGNMENTS

This report lists the hospital assignments of all PW/MIAs. A new page will begin when the hospital assignment changes; therefore, the hospital assignment field must be the major sort field.

This report contains the following data elements:

DIA ID OF PW/MIA NAME CURRENT RANK LOSS RANK SERVICE DATE OF INCIDENT COUNTRY OF INCIDENT AIRCRAFT HOSPITAL ASSIGNMENT **STATUS** NVN RETURN LIST INDICATOR

RASP RW004, RW144 can be used with this RIT.

RITID: OW#24

REPORT TITLE: SUMMARY OF ALL NO-MATCH NON-RETURNEES

REPORTED BY RETURNEE

This report summarizes all the information received from returnees concerning no-match prisoners who were not identified as returned.

This report lists the following data elements:

REPORTED NAME OF NON-RETURNEE

NM ID DESIGNATOR

NICKNAME 1

NICKNAME 2

RANK/GRADE

SERVICE

REPORTED STATUS

SOURCE OF INFORMATION

PHYSICAL CONDITION CODE

DATE OF LAST INFORMATION

CAMP NAME

CAMP NICKNAME 1

CAMP NIAKNAME 2

NAME OF RETURNEE

DIA ID

SERVICE

RANK

TOTAL NUMBER OF NO-MATCHES REPORTED

RASP RW#26 is used with this RIT.

RITID:

OW@25

REPORT TITLE: SUMMARY OF ALL UNKNOWN NON-RETURNEES

This report summarizes all the information received from returnees concerning unknown prisoners who were not identified as returned.

This report lists the following data elements:

REPORTED NAME OF NON-RETURNEE

UN ID DESIGNATOR

NICKNAME 1

NICKNAME 2

RANK/GRADE

SERVICE

REPORTED STATUS

SOURCE OF INFORMATION

PHYSICAL CONDITION CODE

DATE OF LAST INFORMATION

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

NAME OF RETURNEE

DIA ID

SERVICE

RANK

TOTAL NUMBER OF UNKNOWNS REPORTED

RASP RW027 is used with this RIT.

RITID: OWØ28

REPORT TITLE: RECOVERED PRISONERS OF WAR

This report lists all the prisoners recovered from Southeast Asia after the January peace treaty.

This report contains the following data elements:

DIA ID OF RECOVERED PW
NAME
CURRENT RANK
SERVICE
CURRENT STATUS
NVN RETURN LIST INDICATOR
DATE OF INCIDENT
COUNTRY OF INCIDENT
AIRCAAFT/VEHICLE
DATE OF RECOVERY
HOSPITAL ASSIGNMENT

RASPs RWØ31 RWØ32

RWØ33 can be used with this RIT.

RITID:

OW#29

REPORT TITLE: NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

NAME

This report displaying full name as the major sort field is used as an analytic aid to identify no-match and unknown PWs.

This report contains the following data elements:

DIA 1D OF PW/MIA

NAME

CURRENT STATUS

NVN RETURN LIST INDICATOR

CURRENT RANK

SERVICE

DATE OF INCIDENT

COUNTRY OF INCIDENT

AIRCRAFT/VEHICLE

DATE OF BIRTH

HEIGHT WEIGHT

HAIR COLOR

RASP RWØ34 is used with this RIT.

RITID:

OWØ3Ø

REPORT TITLE: NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

FIRST NAME

This report displaying first name as the major sort field is used as an analytic aid to identify no-match and unknown PWs.

This report contains the following data elements:

DIA ID OF PW/MIA FIRST NAME FULL NAME CURRENT STATUS NVN RETURN LIST INDICATOR CURRENT RANK SERVICE DATE OF INCIDENT COUNTRY OF INCIDENT AIRCRAFT/VEHICLE DATE OF BIRTH HEIGHT WEIGHT HAIR COLOR

RASP RWØ35 is used with this RIT.

RITID:

OWØ31

REPORT TITLE: NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

MIDDLE NAME

This report displaying middle name as the major sort field is used as an analytic aid to identify no-match and unknown PWs.

This report contains the following data elements:

DIA ID OF PW/MIA MIDDLE NAME FULL NAME CURRENT STATUS NVN RETURN LIST INDICATOR CURRENT RANK SERVICE DATE OF INCIDENT COUNTRY OF INCIDENT AIRCRAFT/VEHICLE DATE OF BIRTH HEIGHT WEIGHT HAIR COLOR

RASP RWØ36 is used with this RIT.

RITID:

OWØ32

REPORT TITLE: SHOOTDOWN/INCIDENT REPORT

INCIDENT DATE

This report displaying shootdown incident date as the major sort field is used as an analytic aid to identify no-match and unknown PWs.

This report contains the following data elements:

DATE OF INCIDENT COUNTRY OF INCIDENT AIRCRAFT/VEHICLE NAME DIA ID CURRENT STATUS NVN RETURN LIST INDICATOR CURRENT RANK SERVICE DATE OF BIRTH HEIGHT WEIGHT HAIR COLOR

RASP RW037 is used with this RIT.

RITID:

OWØ33

REPORT TITLE: NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

AIRCRAFT/VEHICLE TYPE

This report displaying aircraft/vehicle in which the PW was last seen as the major sort field is used as an analytic aid to identify no-match and unknown PWs.

This report contains the following data elements:

AIRCRAFT/VEHICLE PATE OF INCIDENT COUNTRY OF INCIDENT NAME DIA ID CURRENT STATUS NVN RETURN LIST INDICATOR CURRENT RANK SERVICE DATE OF BIRTH HEIGHT WEIGHT HAIR COLOR

RASP RWØ38 is used with this RIT.

RITID:

OWØ34

REPORT TITLE: NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

HEIGHT

This report displaying height as the major sort field is used as an analytic aid to identify no-match and unknown PWs.

This report contains the following data elements:

HEIGHT OF PW/MIA WEIGHT HAIR COLOR DATE OF BIRTH NAME DIA ID CURRENT STATUS NVN RETURN LIST INDICATOR CURRENT RANK SERVICE DATE OF INCIDENT COUNTRY OF INCIDENT AIRCRAFT/VEHICLE

RASP RWQ39 is used with this RIT.

RITID:

OWØ35

REPORT TITLE: NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

WEIGHT

This report displaying weight as the major sort field is used as an analytic aid to identify no-match and unknown PWs.

This report contains the following data elements:

WEIGHT OF PW/MLA HEIGHT HAIR COLOR DATE OF BIRTH NAME DIA ID CURRENT STATUS NVN RETURN LIST INDICATOR CURRENT RANK SERVICE DATE OF INCIDENT COUNTRY OF INCIDENT AIRCRAFT/VEHICLE

RASP RW040 is used with this RIT.

RITID:

OWØ36

REPORT TITLE: NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

HAIR COLOR

This report displaying hair color as the major sort field is used as an analytic aid to identify no-match and unknown PWs.

This report contains the following data elements:

HAIR COLOR OF PW/MIA

HEIGHT

WEIGHT

DATE OF BIRTH

NAME

DIA ID

CURRENT STATUS

NVN RETURN LIST INDICATOR

CURRENT RANK

SERVICE

DATE OF INCIDENT

COUNTRY OF INCIDENT

AIRCRAFT/VEHICLE

RASP RW041 is used with this RIT.

RITID:

OW#37

REPORT TITLE: NO-MATCH/UNKNOWN NAME RESOLUTION REPORT

DATE OF BIRTH

This report displaying date of birth as the major sort field is used as an analytic aid to identify no-match and unknown PWs.

This report contains the following data elements:

DATE OF BIRTH OF PW/MIA HEIGHT WEIGHT HAIR COLOR NAME DIA ID CUPRENT STATUS NVN RETURN LIST INDICATOR CURRENT RANK SERVICE DATE OF INCIDENT COUNTRY OF INCIDENT AIRCRAFT/VEHICLE

RASP RW042 is used with this RIT.

RITID: OWØ38

REPORT TITLE: ASSESSMENT REPORT

This report is a summary of the assessment information on a returnee from his debriefer at Clark AFB to the CONUS hospital sites to better prepare the CONUS debriefer as to the returnee's condition (physical and mental). A punch card, which is an image of the listing, is also produced for use in AUTODIN transmission to CONUS hospital sites. This report is produced for the Air Force only.

This report both on paper and on cards contains the following data elements:

HOSPITAL SITE
NAME OF RETURNEE
DIA ID
CURRENT RANK
SERVICE
NAME OF DEBRIEFER
RANK OF DEBRIEFER
REPORT NUMBER
REPORT DATE
CONDITIONS OF RELEASE
COMMENTS ON DEBRIEFING STATUS
ASSESSMENT OF RETURNEE
ADDITIONAL COMMENTS

RASP RW#82 is used with this RIT.

RITID:

OWØ39

REPORT TITLE: LIST OF KNOWN PW/MIA PERSONNEL BEST MATCHING THE DESCRIPTION OF

This report is a list of known PW/MIA personnel best matching the description of any unknown or no-match reported. This list is provided to

assist in resolving unknowns and no-matches reported by returnees.

This report lists the following data elements:

DIA ID OF PW/MIA SHORT NAME FULL NAME CURRENT RANK SERVICE DIA PHOTO PAGE NUMBER, VOLUME I DIA PHOTO PAGE NUMBER, VOLUME II CURRENT STATUS LOSS RANK

RASP RW003 is used with this RIT.

RITID:

OWØ4Ø

REPORT TITLE: SUMMARY OF ALL UNKNOWN NON-RETURNEES

REPORTED BY RETURNEE

This report is a summary of all information reported by returnees on unknown non-returnees, with comments.

This report contains the following data elements:

NAME OF RETURNEE

DIA ID

SERVICE

CURRENT RANK

NAME OF NON-RETURNEE

NON-RETURNEE U/I DESIGNATOR

NICKNAME 1

NICKNAME 2

RANK/GRADE

SERVICE

REPORTED STATUS

INFORMATION SOURCE

DATE OF LAST INFORMATION

PHYSICAL CONDITION CODE

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

COMMENTS

RASP RWØ45 is used with this RIT.

RITID:

OWØ41

REPORT TITLE: SUMMARY OF ALL NO-MATCH NON-RETURNEES

REPORTED BY RETURNEE

This report is a summary of all information reported by returnees on no-match non-returnees, with comments.

This report contains the following data elements:

NAME OF RETURNEE

DIA ID

SERVICE

CURRENT RANK

NAME OF NON-RETURNEE

NICKNAME 1

NICKNAME 2

NON-RETURNEE NOMATCH DESIGNATOR

RANK/GRADE

SERVICE

REPORTED STATUS

INFO ON SOURCE

DAT.

ST INFORMATION

PHY.

ONDITION CODE

CAMP

CAMP NICKNAME 1

CAMP NICKNAME 2

COMMENTS

RASP RW\$46 is used with this RIT.

RITID: OWØ42

REPORT TITLE: NON-RETURNEE REPORT (NAME UNKNOWN)

This report is to be used as an aid in the clairification of unresolved unknowns reported by the returnees. An output tape (NAPWUNK) which is an image of the listing, is produced by this RIT in addition to the listing. The tape, NAPWUNK, is input to a COBOL program, NAPWAUTD. NAPWAUTD arranges the records on tape NAPWUNK into AUTODIN format and inserts AUTODIN headers and trailers. The output of NAPWAUTD is then transmitted to the various CONUS hospitals via AUTODIN, tape to tape.

The report on both paper and tape contains the following data elements:

NAME OF RETURNEE

CURRENT RANK

SERVICE

DIA ID

NON-RETURNEE UNKNOWN (UNxx) ID

NICKNAMES OF NON-RETURNEE-UP TO THREE

RANK/GRADE

SERVICE

RACE

AGE

HEIGHT

WEIGHT

HAIR COLOR

EYE COLOR

DATE OF LAST INFORMATION

SOURCE OF INFORMATION

LAST KNOWN STATUS

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

PLACE NAME/CITY

COUNTRY

DISTANCE FROM PLACE

DIRECTION FROM PLACE

PHYSICAL CONDITION CODE

PHYSICAL CONDITION COMMENTS

NEXT-OF-KIN DATA

FOREIGN LANGUAGE CAPABILITY

DISTINCTIVE HABITS

OTHER DESCRIPTIVE DATA

DETAILS OF LAST CONTACT

GENERAL COMMENTS
CIRCUMSTANCES OF DEATH IF REPORTED AS DEAD
WITNESSES OF DEATH
DATE OF DEATH
ADDITIONAL BURIAL COMMENTS

RASP RW047 is used with this RIT.

RITID: OWØ43

REPORT TITLE: NON-RETURNEE REPORT (NO-MATCH)

This report is to be used as an aid in the clarification of unresolved no-matches reported by the returnees. An output tape (NAPWNOM), which is an image of the listing, is produced by this RIT in addition to the listing. The tape, NAPWNOM, is input to a COBOL program, NAPWAUTD. NAPWAUTD arranges the records on tape NAPWNOM into AUTODIN format and inserts AUTODIN headers and trailers. The output of NAPWAUTD is then transmitted to the various CONUS hospitals via AUTODIN, tape to tape.

The report on both paper and tape contains the following data elements:

NAME OF RETURNEE CURRENT RANK SERVICE DIA ID NON-RETURNEE NO-MATCH (NMxx) ID NAME OF NON-RETURNEE NICKNAMES OF NON-RETURNEE-UP TO THREE RANK/GRADE SERVICE DATE OF LAST INFORMATION SOURCE OF INFORMATION LAST KNOWN STATUS CAMP NAME CAMP NICKNAME 1 CAMP NICKNAME 2 PLACE NAME/CITY COUNTRY DISTANCE FROM PLACE DIRECTION FROM PLACE PHYSICAL CONDITION CODE PHYSICAL CONDITION COMMENTS OTHER DESCRIPTIVE DATA GENERAL COMMENTS CIRCUMSTANCES OF DEATH IF REPORTED AS DEAD WITNESSES OF DEATH DATE OF DEATH

RASP RW\$48 is used with this RIT.

ADDITIONAL BURIAL COMMENTS

RITID:

OW#44

REPORT TITLE: MISTREATMENT CLEANUP (DEREP)

This report is used for data cleanup to correct data in the mistreatment data fields (Periodic Set 15).

This report lists the following data elements:

DIA ID OF RETURNEE

MISTREATMENT EXPERIENCE NUMBER

TYPE OF MISTREATMENT 1

TYPE OF MISTREATMENT 2

TYPE OF MISTREATMENT 3

MISTREATED PERSON'S NAME

MISTREATED PERSON'S RANK

MISTREATED PERSON'S SERVICE

MISTREATED PERSON'S DIA ID

SOURCE OF INFORMATION

BEGINNING DATE OF MISTREATMENT

ENDING DATE OF MISTREATMENT

DATE QUALIFIER

CAPTIVITY PHASE

PLACE

COUNTRY

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

LOCATION WITHIN CAMP

FREQUENCY OF MISTREATMENT

DURATION OF MISTREATMENT

REASONS FOR MISTREATMENT

MISTREATMENT INFLICTED BY

RESULTS OF MISTREATMENT

TOTAL NUMBER OF DEREPS LISTED

RASP RW088 is used with this RIT.

RITID:

OWØ45

REPORT TITLE: NON-RETURNEE PHOTO IDENTIFICATION VERIFICATION

REPORT

This report is used by returnees to attempt to identify nonreturnees previously reported as unknowns.

This report lists the following data elements:

DIA ID OF RETURNEE NAME UN ID OF NON-RETURNEE FLAG IF NON-RETURNEE PREVIOUSLY IDENTIFIED REPORTED NAME STATUS RANK

SERVICE

PHOTO IDENTITY VERIFICATION

PAGE NUMBER-DIA PRECAPTURE PHOTO VOLUME ID NUMBER-DIA POST CAPTURE PHOTO VOLUME

RASP RW050 is used with this RIT.

RITID: OWØ46

REPORT TITLE: NON-RETURNEE PHOTO IDENTIFICATION VERIFICATION

REPORT

This report is used by returnees to attempt to identify non-returnees previously reported as no-matches.

This report lists the following data elements:

DIA ID OF RETURNEE

NAME

NM ID OF NON-RETURNEE

FLAG IF NON-RETURNEE PREVIOUSLY IDENTIFIED

REPORTED NAME

STATUS

RANK

SERVICE

PHOTO IDENTITY VERIFICATION

PAGE NUMBER-DIA PRECAPTURE PHOTO VOLUME

ID NUMBER-DIA POST CAPTURE PHOTO VOLUME

RASP RWØ51 is used with this RIT.

RITID: OWØ47

REPORT TITLE: ENEMY INTELLIGENCE ACTIVITY CLEANUP (DEREP)

This report is used for data cleanup to correct data in the Enemy Intelligence Activity DEREP data fields (Periodic Set 18).

This report lists the following data elements:

DIA ID OF RETURNEE

ENEMY INTELLIGENCE ACTIVITY NUMBER

TYPE OF ENEMY INTELLIGENCE

DATE OF LAST EVENT

DATE OF LAST EVENT QUALIFIER

FREQUENCY

LISTING OF CALENDAR YEARS INVOLVED-UP TO 10 YEARS

CAPTIVITY PHASE

PLACE

COUNTRY

SOURCE OF INFORMATION

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

LOCATION WITHIN CAMP

IDENTIFICATION OF ENEMY PERSONNEL INVOLVED 1

IDENTIFICATION OF ENEMY PERSONNEL INVOLVED 2

IDENTIFICATION OF ENEMY PERSONNEL INVOLVED 3

SIZE OF GROUP

SIZE OF GROUP QUALIFIER

IDENTIFICATION OF US PERSONNEL INVOLVED 1

IDENTIFICATION OF US PERSONNEL INVOLVED 2

IDENTIFICATION OF US PERSONNEL INVOLVED 3

IDENTIFICATION OF US PERSONNEL INVOLVED 4

TOTAL NUMBER OF DEREPS LISTED

RASP RW991 is used with this RIT.

RITID: OWG48

REPORT TITLE: SHOOTDOWN/CAPTURE CLEANUP (DEREP)

This report is used for data cleanup to correct data in the Shootdown/Capture DEREP data fields (Periodic Set 19).

This report lists the following data elements:

DIA ID OF RETURNEE

SHOOTDOWN ID NUMBER

MISSION DATE

TIME OF LOSS

MISSION TYPE

TARGET TYPE

TYPE OF AIRCRAFT

CREW POSITION

REASON FOR AIRCRAFT LOSS1

REASON FOR AIRCRAFT LOSS2

REASON FOR AIRCRAFT LOSS3

PLACE OF LOSS

COUNTRY OF LOSS

LOSS LATITUDE

LOSS LONGITUDE

DISTANCE FROM PLACE OF LOSS

DIRECTION FROM PLACE OF LOSS

SHOOTDOWN INJURY 1

SHOOTDOWN INJURY 2

SHOOTDOWN INJURY 3

SHOOTDOWN INJURY 4

SHOOTDOWN INJURY 5

EGRESS AIRCRAFT

RADIO CONTACT

SAR ATTEMPTED

EVASION PERIOD

REASONS FOR EVASION FAILURE

CAPTURE DATE

PLACE OF CAPTURE

COUNTRY OF CAPTURE

DISTANCE FROM PLACE OF CAPTURE

DIRECTION FROM PLACE OF CAPTURE

CAPTURE LATITUDE

CAFTURE LONGITUDE

CAPTOR AFFILIATION

TOTAL NUMBER OF DEREPS LISTED

RASP RW992 isused with this RIT.

RITID:

OW#49

REPORT TITLE: MEDICAL TREATMENT CLEANUP (DEREP)

This report is used for data cleanup to correct data in the Captivity Medical Treatment DEREP data fields (Periodic Set 20).

This report lists the following data elements:

DIA ID OF RETURNEE

MEDICAL MEDICAL TREATMENT NUMBER

ILLNESS/INJURY

FREQUENCY

DURATION

ILLNESS/INJURY DATE

ILLNESS/INJURY DATE QUALIFIER

TREATMENT PROVIDED BY

CAPTIVITY PHASE

PLACE

COUNTRY

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

LOCATION WITHIN CAMP

HOSPITAL

DURATION OF STAY IN HOSPITAL

QUALITY OF TREATMENT IN HOSPITAL

PROCEDURES/TESTS CONDUCTED

SYMPTOMS OF ILLNESS/CAUSE OF INJURY

MEDICATION 1

MEDICATION 2

MEDICATION 3

MEDICATION 4

UPDATED SET ID

DEREP CHANGE INDICATOR

SUPPLEMENTARY COMMENTS FLAG

AUDIO TAPE ID

BEGINNING POINT OF TAPE

ENDING POINT OF TAPE

MESSAGE DTG

TOTAL NUMBER OF DEREPS LISTED

RASP RW093 is used with this RIT.

RITID: OWØ5Ø

REPORT TITLE: CONFINEMENT CHRONOLOGY SUMMARY

This report is a summary of returnees' history of confinement dates in the various North Vietnamese prison camps.

This report provides the following data elements concerning camp information:

NAME
DIA ID
LOSS RANK
SERVICE
INCIDENT DATE
CAMP NAME
FIRST CAMP NICKNAME
SECOND CAMP NICKNAME
LOCATION WITHIN CAMP
BEGINNING DATE OF CONFINEMENT
ENDING DATE OF CONFINEMENT

RASP RW055 is used with this RIT.

RITID:

OWØ51

REPORT TITLE: LOCATION, DATE OF LOSS OF PW/MIAS IN SEA

This report produces a listing of PW/MIAs with their respective date and location of loss.

This report lists the following data elements:

DIA ID OF PW/MIA NAME CURRENT RANK LOSS RANK DATE OF INCIDENT COUNTRY OF INCIDENT LATITUDE OF INCIDENT TYPE OF AIRCRAFT INVOLVED AIRCRAFT TAIL NUMBER

RACP RW\$56 is used with this RIT.

RITID: OWØ52

REPORT TITLE: RECOVERED PRISONERS OF WAR

This report lists all the prisoners recovered after the January peace agreement. They are listed with their respective hospital assignments. A new page will begin when the hospital assignments changes; therefore, the hospital assignment field must be the major sort field.

This report contains the following data elements:

DIA ID OF RECOVERED PW
NAME
CURRENT RANK
SERVICE
CURRENT STATUS
NVN RETURN LIST INDICATOR
DATE OF INCIDENT
COUNTRY OF INCIDENT
AIRCRAFT/VEHICLE
DATE OF RECOVERY
HOSPITAL ASSIGNMENT

RASP RWØ57 is used with this RIT.

RITID:

OWØ53

REPORT TITLE: MESSAGE LOG

This report produces a log of messages received at the HOMECOMING Command Post from the JCPC and CONUS hospital sites concerning casualty and confinement chronology data.

This report lists the following data elements:

DIA ID OF RETURNEE/NON-RETURNEE
ID OF RETURNEE OR UNKNOWN OR NO-MATCH NON-RETURNEE
SHORT NAME IF UNKNOWN OR NO-MATCH NON-RETURNEE
MESSAGE DATE GROUP
MESSAGE TYPE
MESSAGE ORIGINATOR

RASPS RWØ58

RW065

RW076 can be used with this RIT.

RITID:

OWØ54

REPORT TITLE: PSET 27 CLEANUP REPORT

This report is used for data cleanup to delete erroneous data in the unknown and no-match non-returnee comments (PERIODIC SET 27) data field.

This report contains the following data elements:

DIA ID OF RETURNEE
UN/NM ID OF UNKNOWN/NO-MATCH NON-RETURNEE
COMMENT CARD TYPE
COMMENT SEQUENCE NUMBER
COMMENT DATA

RASP RW059 is used with this RIT.

RITID:

OWØ55

REPORT TITLE: DATA CLEANUP REPORT

This report is used for data cleanup to delete erroneous data in the known (Periodic Set 9), unidentified (Periodic Set 11), or no-match (Periodic Set 13) non-returnee fields.

This report lists the following data elements:

DIA ID OF NON-RETURNEE, if known; or DIA ID OF RETURNEE, if non-Returnee unknown SPECIAL FLAG
DIA ID OF RETURNEE, if Non-Returnee known; or UN/NM ID OF UNKNOWN NON-RETURNEE
NAME OF NON-RETURNEE
STATUS REPORTED BY RETURNEE
NAME OF RETURNEE

RASPS RW960, RW961, RW962 can be used with this RIT.

RITID:

OWØ56

REPORT TITLE: DATA CLEANUP REPORT

This report is used for data cleanup to replace of delete erroneous data elements in the non-returnee comments field (Periodic Set 26).

This report lists the following data elements:

DIA ID OF NON-RETURNEE DIA ID OF RETURNEE TYPE OF COMMENT SEQUENCE NUMBER COMMENTS

RASP RW063 is used with this RIT.

RITID:

OWØ57

REPORT TITLE: US NAVY PERSONNEL SECONDARY NEXT-OF-KIN LOCATION

This report contains the naval base nearest the secondary next-of-kin of returned Navy personnel.

This report contains the following data elements:

DIA ID OF RETURNEE
NAME
CURRENT RANK
LOSS RANK
SERVICE
DATE OF INCIDENT
COUNTRY OF INCIDENT
TYPE OF AIRCRAFT INVOLVED
NEAREST NAVAL BASE
CURRENT STATUS
NVN RETURN LIST INDICATOR

RASP RW043 is used with this RIT.

RITID:

OW058

REPORT TITLE: SUMMARY OF ALL NON-RETURNEES REPORTED AND

CANDIDATE DIA IDENTIFIER

This report is a summary of all information reported by returnees on non-returnees, including comments. It ejects to a new page on a change of the DIA ID of a non-returnee.

This report contains the following data elements:

NAME OF NON-RETURNEE

DIA ID

SERVICE

CURRENT RANK

DIA RANK

LOSS RANK

CURRENT STATUS

DIA STATUS

SERVICE STATUS

REPORTED NAME

RANK/GRADE

SERVICE

REPORTED STATUS

INFORMATION SOURCE

DATE OF LAST INFO

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

PHYSICAL CONDITION CODE

COMMENTS

NAME OF RETURNEE

DIA ID OF RETURNEE

RASPS RW066

RWØ67

RWØ68

RWØ69

2W070

RWØ71

RW072

RW073 can be used with this RIT.

RITID:

OWØ59

REPORT TITLE: PSET29 CLEANUP REPORT

This report is used for data cleanup to correct erroneous data found in the confinement chronology comments field (Periodic Set 29).

This report lists the following data elements:

DIA ID OF RETURNEE CONFINEMENT COMMENT NUMBER TYPE OF COMMENT SEQUENCE NUMBER COMMENT

RASP RW074 is used with this RIT.

RITID:

OWØ61

REPORT TITLE: CAPTIVITY MEDICAL TREATMENT SUMMARY

This report summarizes the information submitted by the returnecs via DEREPS on the medical treatment received while in captivity.

This report contains the following data elements:

DIA ID OF RETURNEE NAME CURRENT RANK MEDICAL TREATMENT NUMBER CAMP NAME INJURY/ILLNESS DATE FREQUENCY DURATION ILLNESS/INJURY SYMPTOMS OF ILLNESS/CAUSE OF INJURY

RASPs RW#78 RWØ79

RWØ8Ø can be used with this RIT.

RITID:

OW052

REPORT TITLE: DEATH/BURIAL (UNKNOWN AND NO-MATCHES)

This report lists all the death/burial information received from returnees on unknown and no-match non-returnees.

This report contains the following data elements:

UN/NM ID OF UNKNOWN/NO-MATCH NON-RETURNEE

NAME OF RETURNEE

· DIA RECID

DATE OF DEATH

DATE OF DEATH QUALIFIER

CIRCUMSTANCES OF DEATH

WITNESSES OF DEATH

DISPOSITION OF REMAINS

DATE OF BURIAL

DATE OF BURIAL QUALIFIER

PLACE OF BURIAL

COUNTRY

DISTANCE FROM PLACE

DIRECTION FROM PLACE

LATITUDE OF BURLAL

LONGITUDE OF BURIAL

WITNESSES OF BURIAL

ITEMS BURIED WITH DECEASED

MAP TYPE

MAP SERIES

SHEET NUMBER

MAP SCALE

UTM COORDINATES

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

HEADSTONE INSCRIPTION

DETAILS OF LAST CONTACT

PHYSICAL CONDITION COMMENTS

OTHER DESCRIPTIVE INFORMATION

GENERAL COMMENTS

ADDITIONAL BURIAL COMMENTS

RASP RW081 is used with this RIT.

OW#63 RITID:

REPORT TITLE: US PERSONNEL RETURNED FROM SEA CAPTIVITY

This report lists all US returnees from Southeast Asia.

This report contains the following data elements:

NAME OF RETURNEE CURRENT RANK SERVICE DATE OF INCIDENT COUNTRY OF INCIDENT TYPE OF AIRCRAFT INVOLVED DTG OF RECOVERY HOSPITAL ASSIGNMENT

RASP RWØ83 is used with this RIT.

RITID:

0W464

REPORT TITLE: MISTREATMENT SUMMARY

This report summarizes the information submitted by the returnees via DEREPS on mistreatment experiences during captivity.

This report contains the following data elements:

DIA ID OF RETURNEE

NAME

CURRENT RANK

MISTREATMENT EXPERIENCE NUMBER

TYPE OF MISTREATMENT 1

TYPE OF MISTREATMENT 2

TYPE OF MISTREATMENT 3

MISTREATED PERSON'S NAME

MISTREATED PERSON'S RANK

MISTREATED PERSON'S SERVICE

MISTREATED PERSON'S DIA ID

SOURCE OF INFORMATION

BEGINNING DATE OF MISTREATMENT

ENDING DATE OF MISTREATMENT

CAPTIVITY PHASE

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

FREQUENCY OF MISTREATMENT

DURATION OF MISTREATMENT

REASONS FUR MISTREATMENT

MISTREATMENT INFLICTED BY

RASPs RW162

RW163

RW164

RW165

RW166

RW167

RW168

RW169

RW177

RW178

RW136 can be used with this RIT.

RITID:

OW#65

REPORT TITLE: ENEMY INTELLIGENCE ACTIVITY SUMMARY

This report summarizes the information submitted by the returnees via DEREPS on enemy intelligence activities observed during captivity.

This report contains the following data elements:

DIA ID OF RETURNEE

NAME

CURRENT RANK

ENEMY INTELLIGENCE ACTIVITY NUMBER

TYPE OF ENEMY INTELLIGENCE ACTIVITY

LAST EVENT DATE

FREQUENCY

LISTING OF CALENDAR YEARS INVOLVED - UP TO 10 YEARS

IDENTIFICATION OF ENEMY PERSONNEL INVOLVED 1

IDENTIFICATION OF ENEMY PERSONNEL INVOLVED 2

IDENTIFICATION OF ENEMY PERSONNEL INVOLVED 3

IDENTIFICATION OF U S PERSONNEL INVOLVED 1

IDENTIFICATION OF U S PERSONNEL INVOLVED 2

IDENTIFICATION OF U S PERSONNEL INVOLVED 3

IDENTIFICATION OF U S PERSONNEL INVOLVED 4

SIZE OF GROUP

SIZE OF GROUP QUALIFIER

SOURCE

CAPTIVITY PHASE

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

RASPs RW086

RWØ87

RW17Ø

RW171

RW172

RW173

RW174

RW175

RW176 can be used with this RIT.

RITID: OW966

REPORT TITLE: CONSOLIDATED DEREP SUMMARY

This report summarizes the information submitted by the returnees via Enemy Intelligence, Mistreatment, and Validity of Propaganda DEREPs.

This report contains the following data elements:

NAME OF RETURNEE

SERVICE

SERVICE NUMBER

DIA ID

DATE OF INCIDENT

COUNTRY OF INCIDENT

If an Enemy Intelligence DEREP was submitted, the following data elements are listed:

ENEMY INTELLIGENCE ACTIVITY NUMBER

TYPE OF ENEMY INTELLIGENCE

CAMP NAME

CAMP NICKNAME 1

LISTING OF CALENDAR YEARS INVOLVED-FIRST 2 YEARS ONLY

DATE OF LAST EVENT

FREQUENCY

SOURCE OF INFORMATION

If a Mistreatment DEREP was submitted, the following data elements are listed:

MISTREATMENT EXPERIENCE NUMBER

TYPE OF MISTREATMENT 1

TYPE OF MISTREATMENT 2

TYPE OF MISTREATMENT 3

CAMP NAME

CAMP NICKNAME 1

BEGINNING DATE OF MISTREATMENT

ENDING DATE OF MISTREATMENT

FREQUENCY OF MISTREATMENT

SOURCE OF INFORMATION

REASONS FOR MISTREATMENT

RESULTS OF MISTREATMENT

If a Validity of Propaganda DEREP was submitted, the following data elements are listed:

PROPAGANDA EVENT NUMBER TYPE OF PROPAGANDA

CAMP NAME
CAMP NICKNAME 1
BEGINNING DATE OF EVENT
ENDING DATE OF EVENT
FREQUENCY
FOREIGN PRESS PARTICIPATION - UP TO 6 COUNTRIES
TYPE OF COERCION - UP TO 5 TYPES

RASP RW130 is used with this RIT.

RITID:

OW#67

REPORT TITLE: CASUALTY RESOLUTION REPORT

NAME KNOWN

This report summarizes all the information received from returnees on known non-returnees.

This report contains the following data elements:

NAME OF NON-RETURNEE

DIA ID

LOSS RANK

SERVICE

SERIAL NUMBER

COUNTRY OF INCIDENT

DATE OF INCIDENT

STATUS

NON-RETURNEE REPORTED NAME

NICKNAME 1

NICKNAME 2

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

LOCATION WITHIN CAMP

PLACE NAME

DISTANCE FROM PLACE

DIRECTION FROM PLACE

RANK

SERVICE

CREW/DUTY POSITION

AIRCRAFT/VEHICLE

UNIT/ORGANIZATION

LAST DUTY STATION

PHYSICAL CONDITION

PHOTO VERIFICATION

DATE OF LAST INFORMATION

DATE OF LAST INFORMATION QUALIFIER

PAGE NO-DIA PRECAPTURE PHOTO VOLUME

ID NO-DIA POST CAPTURE PHOTO VOLUME

OLD IDENTIFIER

SOURCE OF INFORMATION

LAST KNOWN STATUS

If last known status indicated deceased, the following data elements were listed:

> PLACE OF DEATH DATE OF DEATH DATE OF DEATH QUALIFIER CIRCUMSTANCES OF DEATH WITNESSES OF DEATH DATE OF BURIAL DATE OF BURIAL QUALIFIER PLACE OF BURIAL COUNTRY OF BURIAL LATITUDE OF DEATH/BURIAL LONGITUDE OF DEATH/BURIAL DISTANCE FROM PLACE DIRECTION FROM PLACE MAP TYPE MAP SERIES SHEET NUMBER MAP SCALE UTM COORDINATES OF DEATH/BURIAL CAMP NAME CAMP NICKNAME 1 CAMP NICKNAME 2 WITNESSES OF BURIAL ITEMS BURIED WITH DECEASED DISPOSITION OF REMAINS HEADSTONE INSCRIPTION DETAILS OF LAST CONTACT PHYSICAL CONDITION COMMENTS GENERAL COMMENTS ADDITIONAL BURIAL COMMENTS

RASPs RW131

RW138

RW139

RW14Ø

RW141

RW142 can be used with this RIT.

RITID:

0WØ68

REPORT TITLE: VALIDITY OF PROPAGANDA CLEANUP (DEREP)

This report is used for data cleanup to correct data in the validity of propaganda data fields (Periodic Set 16).

This report lists the following data elements:

DIA ID OF RETURNEE PROPAGANDA EVENT NUMBER TYPE OF PROPAGANDA BEGINNING DATE OF EVENT ENDING DATE OF EVENT DATE QUALIFIER PHASE OF CAPTIVITY PLACE COUNTRY CAMP NAME CAMP NICKNAME 1 CAMP NICKNAME 2 LOCATION WITHIN CAMP FREQUENCY LISTING FO CALENDAR YEARS INVOLVED-UP TO 10 YEARS SIZE OF GROUP SIZE QUALIFIER 'WAS IT TAPED' CODE 'WAS IT FILMED' CODE TYPE OF COERCION-UP TO 5 TYPES FOREIGN PRESS PARTICIPATION-UP TO 6 COUNTRIES TOTAL NUMBER OF DEREPS LISTED

RASP RW999 is used with this RIT.

RITID:

OWØ69

REPORT TITLE: LOSS, DEATH/BURIAL LOCATION

This report lists all the location of death/grave information supplied by returnees concerning known non-returnees.

This report contains the following data elements:

DIA ID OF NON-RETURNEE
NAME
CURRENT RANK
SERVICE
DATE OF INCIDENT
COUNTRY OF INCIDENT
LATITUDE OF INCIDENT
LONGITUDE OF INCIDENT
LATITUDE OF DEATH/BURIAL AS REPORTED BY RETURNEE
LONGITUDE OF DEATH/BURIAL AS REPORTED BY RETURNEE
UTM COORDINATES OF DEATH/BURIAL AS REPORTED BY RETURNEE

RASP RW133 is used with this RIT.

OW071 RITID:

REPORT TITLE: IDENTIFICATION OF ENEMY PERSONNEL CLEANUP (DEREP)

This report is used for data cleanup to correct data in the identification of enemy personnel data fields (Periodic Set 17).

This report lists the following data elements:

DIA ID OF RETURNEE

ENEMY PERSONNEL EVENT NUMBER

ENEMY'S NAME

RANK

NICKNAME 1

NICKNAME 2

NICKNAME 3

NATIONALITY

AFFILIATION

DIA PHOTO REFERENCES-UP TO 6 REFERENCES

CAPACITY/ROLE

SOURCE OF INFORMATION

FREQUENCY OF CONTACT

LAST CONTACT DATE

DATE QUALIFIER

PLACE

COUNTRY

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

LOCATION WITHIN CAMP

TOTAL NUMBER OF DEREPS LISTED

RASP RW089 is used with this RIT.

RITID:

OWØ72

REPORT TITLE: AIRCRAFT TAIL NUMBER

This report lists the aircraft tail number, if available, for all PW/MIAs. This report is of primary interest for Air Force and Navy personnel.

This report contains the following data elements:

DIA ID OF PW/MIA

NAME

CURRENT RANK

SERVICE

DATE OF INCIDENT

COUNTRY OF INCIDENT

AIRCRAFT/VEHICLE

AIRCRAFT TAIL NUMBER (if applicable, otherwise blank)

RASP RW143 is used with this RIT.

RITID:

0WØ73

REPORT TITLE: LIST OF NICKNAMES

AF ONLY

This report lists the nicknames of Air Force prisoners and missing in action to help returnees identify prisoners known to them by nickname only.

This report lists the following data elements:

NICKNAMES-UP TO THREE

DIA ID

NAME

CURRENT RANK

SERVICE

DATE OF INCIDENT

COUNTRY OF INCIDENT

TYPE OF AIRCRAFT INVOLVED

CURRENT STATUS

RASP RW049 is used with this RIT.

RITID:

OW#74

REPORT TITLE: STATUS OF AIR FORCE PERSONNEL IN SEA

This report reflects the status of all Air Force prisoners missing in action and returnees in Southeast Asia.

This report lists the following data elements:

DIA ID OF PW/MIA/RETURNEE
NAME
LOSS RANK
CURRENT RANK
SERVICE
CURRENT STATUS
DATE OF INCIDENT
COUNTRY OF INCIDENT
TYPE OF AIRCRAFT INVOLVED
CREW POSITION

RASPS RWØ52

RWØ53

RW954 can be used with this RIT.

RITID:

OWØ75

REPORT TITLE: ROSTER OF RETURNEES AND DEBRIEFERS

This report is a listing of returnees with their debriefers and debriefing sites.

This report contains the following data elements:

DIA ID OF RETURNEE
NAME
CURRENT RANK
DATE OF INCIDENT
DATE OF RECOVERY
DEBRIEFER
DEBRIEFER'S RANK
HOSPITAL ASSIGNMENT

RASPs RW180

RW181 can be used with this RIT.

RITID:

OW100

REPORT TITLE: SHOOTDOWN/CAPTURE (DEREP)

This report lists the information submitted by the returnees via DEREPS on Shootdown/Capture experiences in Southeast Asia.

This report contains the following data elements:

NAME OF RETURNEE

CURRENT RANK

SERVICE NUMBER

SERVICE

DIA ID

NAME OF DEBRIEFER

RANK OF DEBRIEFER

SHOOTDOWN IC NUMBER

MISSION DATE

TIME OF LOSS

MISSION TYPE

TARGET TYPE

TYPE OF AIRCRAFT

CREW POSITION

PLACE OF LOSS

COUNTRY OF LOSS

LOSS LATITUDE

LOSS LONGITUDE

DISTANCE FROM PLACE OF LOSS

DIRECTION FROM PLACE OF LOSS

REASON FOR AIRCRAFT LOSS 1

REASON FOR AIRCRAFT LOSS 2

REASON FOR AIRCRAFT LOSS 3

SHOOTDOWN INJURY 1

SHOOTDOWN INJURY 2

SHOOTDOWN INJURY 3

SHOOTDOWN INJURY 4

SHOOTDOWN INJURY 5

EGRESS AIRCRAFT

RADIO CONTACT

SAR ATTEMPTED

EVASION PERIOD

REASONS FOR EVASION FAILURE

CAPTURE DATE

PLACE OF CAPTURE

COUNTRY OF CAPTURE

DISTANCE FROM PLACE OF CAPTURE

DIRECTION FROM PLACE OF CAPTURE
CAPTURE LATITUDE
CAPTURE LONGITUDE
CAPTOR AFFILIATION
REASONS FOR SAR FAILURE
AUDIO TAPE ID
TAPE BEGINNING POINT
TAPE ENDING POINT

RASP RW100 is used with this RIT.

RITID: OW101

REPORT TITLE: CAPTIVITY MEDICAL TREATMENT (DER

This report lists the information submitted by DEREPS on the medical treatment received while in captivity.

es via

This report contains the following data elements:

NAME OF RETURNEE CURRENT RANK SERVICE NUMBER DIA ID MEDICAL TREATMENT NUMBER ILLNESS/INJURY **FREQUENCY** DURATION ILLNESS/INJURY DATE TREATMENT PROVIDED BY QUALITY OF TREATMENT CAMP NAME CAMP NICKNAME 1 CAMP NICKNAME 2 PROCEDURES/TESTS CONDUCTED SYMPTOMS OF ILLNESS/CAUSE OF INJURY OTHER TREATMENT RESULTS ADDITIONAL COMMENTS AUDIO TAPE ID TAPE BEGINNING POINT

RASP RW101 is used with this RIT.

TAPE ENDING POINT

RITID:

OW102

REPORT TITLE: IDENTIFICATION OF ENEMY PERSONNEL (DEREP)

This report displays the information submitted by the returnees via DEREPS on identification of enemy personnel.

This report contains the following data elements:

NAME OF RETURNEE

CURRENT RANK

SERVICE NUMBER

DIA ID

ENEMY PERSONNEL EVENT NUMBER

ENEMY'S NAME

RANK

NICKNAME 1

NICKNAME 2

LOCATION WITHIN CAMP

NATIONALITY

AFFILIATION

CAPACITY/ROLE

SOURCE OF INFORMATION

DIA PHOTO REFERENCES - UP TO 6 REFERENCES

FREQUENCY OF CONTACT

LAST CONTACT DATE

PLACE

COUNTRY

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

CAMP NICKNAME 3

AUDIO TAPE ID

TAPE BEGIN POINT

TAPE END POINT

ADDITIONAL COMMENTS

RASP RW102 is used with this RIT.

RITID:

OW103

REPORT TITLE: MISTREATMENT (DEREP)

This report lists the information submitted by the returnees via DEREPS on mistreatment experiences during captivity.

This report contains the following data elements:

NAME OF RETURNEE

CURRENT RANK

SERVICE NUMBER

DIA ID

MISTREATMENT EXPERIENCE NUMBER

TYPE OF MISTREATMENT 1

TYPE OF MISTREATMENT 2

TYPE OF MISTREATMENT 3

MISTREATED PERSON'S NAME

MISTREATED PERSON'S RANK

MISTREATED PERSON'S SERVICE

MISTREATED PERSON'S DIA ID

SOURCE OF INFORMATION

BEGINNING DATE OF INFORMATION

ENDING DATE OF INFORMATION

CAPTIVITY PHASE

PLACE

COUNTRY

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

FREQUENCY OF MISTREATMENT

DURATION OF MISTREATMENT

REASONS FOR MISTREATMENT

RESULTS OF MISTREATMENT

MISTREATMENT INFLICTED BY

ADDITIONAL COMMENTS

AUDIO TAPE ID

TAPE BEGINNING POINT

TAPE ENDING POINT

RASP RW103 is used with this RIT.

RITID: OW194

REPORT TITLE: ENEMY INTELLIGENCE ACTIVITY (DEREP)

This report lists the information submitted by the returnees via DEREPS on enemy intelligence activities observed while in captivity.

This report contains the following data elements:

NAME OF RETURNEE

CURRENT RANK

SERVICE NUMBER

DIA ID

ENEMY INTELLIGENCE ACTIVITY NUMBER

TYPE OF ENEMY INTELLIGENCE

DATE OF LAST EVENT

FREQUENCY

LISTING OF CALENDAR YEARS INVOLVED - UP TO 7 YEARS

CAPTIVITY PHASE

PLACE

COUNTRY

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

LOCATION WITHIN CAMP

SIZE OF GROUP

SIZE OF GROUP QUALIFIER

IDENTIFICATION OF U S PERSONNEL INVOLVED 1

IDENTIFICATION OF U S PERSONNEL INVOLVED 2

IDENTIFICATION OF U S PERSONNEL INVOLVED 3

IDENTIFICATION OF U S PERSONNEL INVOLVED 4

SOURCE OF INFORMATION

IDENTIFICATION OF ENEMY PERSONNEL INVOLVED 1

IDENTIFICATION OF ENEMY PERSONNEL INVOLVED 2

IDENTIFICATION OF ENEMY PERSONNEL INVOLVED 3

DETAILS OF EVENT

ADDITIONAL COMMENTS

AUDIO TAPE ID

TAPE BEGINNING POINT

TAPE ENDING POINT

RASP RW104 is used with this RIT.

RITID:

OW105

REPORT TITLE: VALIDITY OF PROPAGANDA (DEREP)

This report lists the information submitted by the returnees via DEREPS on the validity of propaganda activities staged by the enemy.

This report contains the following data elements:

NAME OF RETURNEE

CURRENT RANK

SERVICE NUMBER

PA D

PROLAGANDA EVENT NUMBER

TYPE OF PROPAGANDA

BEGINNING DATE OF EVENT

ENDING DATE OF EVENT

FREQUENCY

LISTING OF CALENDAR YEARS INVOLVED - UP TO 7 YEARS

PHASE OF CAPTIVITY

PLACE

COUNTRY

CAMP NAME

CAMP NICKNAME 1

SIZE OF GROUP

'WAS IT TAPED' CODE

'WAS IT FILMED' CODE

TYPE OF COERCION - UP TO 4 TYPES

FOREIGN PRESS PARTICIPATION - UP TO 4 COUNTRIES

RESULTS OF PARTICIPATION

ADDITIONAL COMMENTS

AUDIO TAPE ID

TAPE BEGINNING POINT

TAPE ENDING POINT

RASP RW105 is used with this RIT.

RITID:

0W1Ø8

REPORT TITLE: LOSS/CAPTURE SUMMARY

This report summarizes the loss/capture information received from returnees via DEREPS.

This report lists the following data elements:

NAME OF RETURNEE DIA ID PLACE OF LOSS COUNTRY OF LOSS LATITUDE OF LOSS LONGITUDE OF LOSS PLACE OF CAPTURE COUNTRY OF CAPTURE LATITUDE OF CAPTURE LONGITUDE OF CAPTURE DISTANCE FROM PLACE OF CAPTURE DIRECTION FROM PLACE OF CAPTURE

RASP RW108 is used with this RIT.

RITID: OW109

REPORT TITLE: CONFINEMENT CHRONOLOGY REPORT

This report is a complete listing of each returnee's confinement in chronological order.

This report contains the following data elements:

NAME OF RETURNEE

DIA ID

LOSS RANK

CURRENT RANK

SERVICE

BEGINNING DATE OF CONFINEMENT

ENDING DATE OF CONFINEMENT

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

LOCATION WITHIN CAMP

PLACE

COUNTRY

CAMP LATITUDE

CAMP LONGITUDE

CAMP CONTROLLED BY

CAMP CAPACITY

NUMBER OF U S PRISONERS HELD

CAMP AREA

NUMBER OF BUILDINGS

DATE CAMP FIRST USED

DATE CAMP LAST USED

IDENTIFICATION-LOCATION REMARKS

GENERAL COMMENTS

RASPS RW109

RW134 can be used with this RIT.

RITID:

OW110

REPORT TITLE: DEREP COMMENTS CLEAN UP REPORT

This report is used for data cleanup to correct data in the DEREP comments field (Periodic Set 28).

This report lists the following data elements:

DIA ID OF RETURNEE PSET ID COMMENT CARD TYPE SEQUENCE NUMBER COMMENTS FIELD

RASP RW110 is used with this RIT.

OW111

REPORT TITLE: DEREP ADDITIONAL COMMENTS CLEANUP REPORT

This report is used for data cleanup in the DEREP Additional Comments data fields (NAPWCMT).

This report contains the following data elements:

DIA ID OF RETURNEE DEREP SET ID SEQUENCE NUMBER ADDITIONAL COMMENTS

RASP RW111 is used with this RIT.

RITID:

OW112

REPORT TITLE: ENEMY PERSONNEL SUMMARY (DEREP)

This report summarizes the information submitted by the returnees via DEREPS on identification of enemy personnel.

This report lists the following data elements:

NAME OF RETURNEE

DIA ID

ENEMY PERSONNEL EVENT NUMBER

ENEMY'S NAME

NICKNAME 1

NICKNAME 2

NICKNAME 3

DIA PHOTO REFERENCE 1

DIA PHOTO REFERENCE 2

DIA PHOTO REFERENCE 3

DIA PHOTO REFERENCE 4

DIA PHOTO REFERENCE 5

DIA PHOTO REFERENCE 6

LAST CONTACT DATE

CAMP NAME

RASPS RW112

RW135 can be used with this RIT.

RITID:

OW113

REPORT TITLE: UNIDENTIFIED PICTURES OF PWS

This report lists the reported identities of previously unidentified pictures of prisoners as reported by the returnees.

This report lists the following data elements pertaining to the previously unidentified photos:

> DIA ID OF RETURNEE NAME CURRENT RANK SERVICE UNIDENTIFIED PICTURE NUMBER COMMENTS ON UNIDENTIFIED PICTURE

RASP RW113 is used with this RIT.

RITID:

OW114

REPORT TITLE: CONFINEMENT CHRONOLOGY/CAPTURE REPORT

This report displays the capture information given by the returnee in his confinement chronology report.

This report contains the following data elements:

DIA ID OF RETURNEE NAME CURRENT RANK SERVICE DATE OF CAPTURE DATE OF CAPTURE QUALIFIER CAPTOR AFFILIATION COUNTRY OF CAPTURE LATITUDE OF CAPTURE LONGITUDE OF CAPTURE UTM OF CAPTURE

RASP RW114 is used with this RIT.

RITID:

OW115

REPORT TITLE: DEREP MESSAGE LOG

This report prints out the DEREP message log information to maintain a record of DEREPS received.

This report lists the following data elements:

DIA ID OF RETURNEE NAME CURRENT RANK SERVICE SET ID CHANGE INDICATOR SUPPLEMENTARY COMMENTS FLAG AUDIO TAPE ID BEGINNING POINT OF TAPE ENDING POINT OF TAPE MESSAGE DTG

RASP RW115 is used with this RIT.

RITID:

OW116

REPORT TITLE: PSET 25 CLEANUP REPORT

This report is used for data cleanup to delete erroneous data in the unknown/no-match non-returnee burial data fields (Periodic Set 25).

This report lists the following data elements:

DIA ID OF REPORTING RETURNEE NAME OF RETURNEE UN/NM ID OF NON-RETURNEE DATE OF DEATH DATE OF DEATH QUALIFIER CIRCUMSTANCES OF DEATH WITNESSES OF DEATH BURIAL DATE BURIAL DATE QUALIFIER CAMP NAME FIRST CAMP NICKNAME SECOND CAMP NICKNAME LOCATION WITHIN CAMP DISPOSITION OF REMAINS WITNESSES OF BURIAL ITEMS BURIED WITH DECEASED HEADSTONE INSCRIPTION PLACE OF BURIAL COUNTRY OF BURIAL DISTANCE FROM PLACE DIRECTION FROM PLACE LONGITUDE OF BURIAL LATITUDE OF BURIAL UTM COORDIANTES OF BURLAL

RASP RW116 is used with this RIT.

RITID:

OW117

REPORT TITLE: PSET 24 CLEANUP REPORT

This report is used for data cleanup to delete erroneous data in the known non-returnee burial data fields (Periodic Set 24).

This report lists the following data elements:

DIA ID OF NON-RETURNEE NAME OF NON-RETURNEE DATE OF DEATH DATE OF DEATH QUALIFIER CIRCUMSTANCES OF DEATH WITNESSES OF DEATH DIA ID OF REPORTING RETURNEE NAME OF RETURNEE BURIAL DATE BURIAL DATE QUALIFIER CAMP NAME FIRST CAMP NICKNAME SECOND CAMP NICKNAME LOCATION WITHIN CAMP DISPOSITION OF REMAINS WITNESSES OF BURIAL ITEMS BURIED WITH DECEASED HEADSTONE INSCRIPTION PLACE OF BURIAL COUNTRY OF BURIAL DISTANCE FROM PLACE DIRECTION FROM PLACE LONGITUDE OF BURIAL LATITUDE OF BURIAL UTM COORDINATES OF BURIAL

RASP RW117 is used with this RIT.

RITID:

OW118

REPORT TITLE: VALIDITY OF PROPAGANDA SUMMARY

This report summarizes the information submitted by the returnees via DEREPS on propaganda activities staged by the enemy.

This report contains the following data elements:

NAME OF RETURNEE

DIA ID

CURRENT RANK

PROPAGANDA EVENT NUMBER

TYPE OF PROPAGANDA

BEGINNING DATE OF EVENT

ENDING DATE OF EVENT

PHASE OF CAPTIVITY

CAMP NAME

CAMP NICKNAME 1

CAMP NICKNAME 2

FREQUENCY

TYPE COERCION - UP TO 5 TYPES

FOREIGN PRESS PARTICIPATION - UP TO 6 COUNTRIES

LISTING OF CALENDAR YEARS INVOLVED - UP TO 10 YEARS

RASPs RW119

RW145

RW146

RW147

RW148

RW149

RW15Ø

RW151

RW152

RW153

RW154

RW155

RW156

RW157

RW158

RW159

RW160

RW161

RW179 can be used with this RIT.

RITID:

OW120

REPORT TITLE: SHOOTDOWN/CAPTURE SUMMARY

This report summarizes the information submitted by the returnees via DEREPS on Shootdown/Capture experiences in Southeast Asia.

This report contains the following data elements:

NAME OF RETURNEE

DIA ID

CURRENT RANK

TYPE OF AIRCRAFT

TARGET TYPE

MISSION TYPE

REASON FOR AIRCRAFT LOSS 1

REASON FOR AIRCRAFT LOSS 2

REASON FOR AIRCRAFT LOSS 3

SHOOTDOWN INJURY 1

SHOOTDOWN INJURY 2

SHOOTDOWN INJURY 3

REASONS FOR EVASION FAILURE

RASPs RW123

RW124

RW125

RW126

RW127

RW137 can be used with this RIT.

RITID:

OW121

REPORT TITLE: PRISONERS OF WAR RETURNED FROM SEA

LIST OF SOCIAL SECURITY NUMBERS

This report is a listing of returnees with their social security numbers to assist processing by recovery personnel.

This report lists the following data elements:

NAME OF RETURNEE RANK SERVICE DTG OF RECOVERY HOSPITAL ASSIGNMENT SOCIAL SECURITY NUMBER

RASP RW128 is used with this RIT.

APPENDIX K

FEEDBACK REPORT INSTRUCTIONS

```
The JCL Statements necessary to produce the Non-Returnee Report (Unknown) follow:
```

```
(NEYEYZØ1Ø1ØØ, INYEXXP8Ø3NE, Ø1ØS), INCO, CLASS=O
     //
     /*SETUP
     // EXEC PGM=IEHPROGM
     //SYSPRINT DD SYSOUT=A
     //SYSIN DD *
      UNCATLG DSNAME=NAPWUNK
     // EXEC XRASP, SAM=NAPWWW, LAB=SL,
     // LIB=NAPWW, VLIB='(PRIVATE, RETAIN, SER=@13REM)'
     //RASP.SYSIN DD *
    FILE NAPWWW.
    EXECUTE RW047.
    // EXEC XOP, SAM=NAPWWW, LAB=SL, QDISP=DELETE,
    // LIB=NAPWW, VLIB='(PRIVATE, RETAIN, SER=#13REM)'
    //OP.OPLINE DD DCB-LRECL=133
    //OP.OPRECORD DD DCB=(LRECL=80,BLKSIZE=1600,RECFM=FB).
    // DISP=(,CATLG),LABEL=(,SL),UNIT=TAPE9,DSN=NAPWUNK
    //OP.SYSIN DD *
    SOURCE RETRIEVAL
    PUBLISH RITID-OW942 ANSID-947
         The JCL Statements necessary to produce the Non-Returnee Report
(No Match) follow:
    //
                     (NEYEYZ010100, INYEXXP803NE, 010S), INCO, CLASS=0
    /*SETUP
    // EXEC PGM=IEPROGM
    //SYSPRINT DD SYSOUT=A
    //SYSIN DD *
      UNCATLG DSNAME=NAPWNOM
    // EXEC XRASP, SAM=NAPWWW, LAB=SL,
    // LIB=NAPWW, VLIB='(PRIVATE, RETAIN, SER=#13REM)'
    //RASP.SYSIN DD *
    FILE NAPWWW.
    EXECUTE RW048.
    // EXEC XOP.SAM=NAPWWW.LAB=SL.QDISP=DELETE,
    // LIB=NAPWW, VLIB='(PRIVATE, RETAIN, SER=#13REM)'
    //OP.OPLINE DD DCB=LRECL=133
    //OP.OPRECORD DD DCB=(LRECL=80,BLKSIZE=1600,RECFM=FB).
    // DISP=(,CATLG), LABEL=(,SL), UNIT=TAPE9, DSN=NAPWNOM
    //OP.SYSIN DD *
    SOURCE RETRIEVAL
    PUBLISH RITID=OWG43 ANSID=048
                                       524
```

HEADER CARD FOR NAPWAUTD

The layout of the header card used by program NAPWAUTD follows:

Columns	Contents
1- 4	***
5- 8	Message Number
9-11	Julian Date (days)
12	Precedence Indicator
13	Space
14-27	ZULU Date-Time-Group
28-80	Spaces

NOTE: The message number entered into Columns 5 - 8 is the last message number used in the previous run. This number can be found in the last entry of the message log that is an output of the program NAPWAUTD. The last message number used during OPERATION HOMECOMING was 8165.

HOSPITAL TABLE CARDS FOR NAPWAUTD

The layout for the hospital table cards used by program NAPWAUTD follows:

Columns	Contents
1	Precedence Indicator
2- 3	Language and Media Format
4	Classification
5- 8	Content Indicator
9	Filler (Blanks)
10-16	Routing Indicator (Originator)
17-29	Filler (Blanks)
30-33	Record Count Indicator
34	&
35-38	Classification Redundancy
39-40	&&
41-47	Routing Indicator Addressee
48	. (period)
49-78	Filler (Blanks)
79-80	Hospital Code

The hospital table card for Westover AFB used during OPERATION HOMECOMING follows:

PCTSFIZZ RHEXAAA (13 sp) MTMS&SSSS&&RUETAAA. (30 spaces) 90

NOTE: Routing indicators are subject to frequent change. Therefore, the routing indicators used during OPERATION HOMECOMING may not be valid at this time. The current routing indicators may be found in Allied Communications Publication 117G.

Hospital Codes are found in Appendix H of this publication.

The JCL Statements for NAPWAUTD follow:

```
//
                (NEYEYZØ10100, INYEXXP803NE, 010S), INCO, CLASS=0
/*SETUP
                Ø13REM
// EXEC PGM=NAPWAUTD
//STEPLIB DD DSN=NAPWWL, VOL=(PRIVATE, RETAIN, SER=$13REM),
// DISP=SHR, UNIT=2314
//SYSPRINT DD SYSOUT=A
//SYSUDUMP DD SYSOUT=A
                         ,UNIT=TAPE9, LABEL=(,SL), DISP=(OLD, KEEP),
//TAPEIN DD DSN=
// DCB=(RECFM=FB, LRECL=80, BLKS12E=1600)
//TAPEOUT DD DCB=(BLKSIZE=80, LRECL=80, RECFM=F, DEN=2, TRTCH=ET),
// UNIT=TAPE7, DSNAME=COM-OUT, DISP=(NEW, KEEP), LABEL=(,BLP)
//PRINT DD SYSOUT=A, DCB=(LRECL=133, BLKSIZE=133, RECFM=FA)
//CARDS DD *
              (header card)
              (hospital cards)
// EXEC PGM=IEBPTPCH
//SYSPRINT DD SYSOUT=A
//SYSUT1 DD DSN=COM-OUT, UNIT=TAPE7, VOL=(PRIVATE,, SER=XXXXXX),
// LABEL=(,BLP),DCB=(RECFM=F,LRECL=80,BLKSIZE=80,DEN=2,TRTCH=ET),
// DISP=(OLD,KEEP)
//SYSUT2 DD SYSOUT=A
//SYSIN DD *
PRINT TYPORG=PS, MAXFLDS=1
RECORD FIELD= (80)
/*
```

* The DSN indicated by this card will either be NAPWUNK or NAPWNOM. NAPWUNK is used when the Non-Returnee Report (Name Unknown) is to be transmitted. NAPWNOM is used when the Non-Returnee Report (No Match) is to be transmitted.

Therefore, columns 15-24 of this card will contain either DSN=NAPWUNK or DSN=NAPWNOM.




Figure 17. AUTODIN Feedback COBOL Program (NAPWAUTD) Logic Flow




Figure 17. AUTODIN Feedback COBOL Program (NAPWAUTD) Logic Flow (continued)




Figure 17. AUTODIN Feedback COBOL Program (NAPWAUTD) Logic Flow (continued)




Figure 17. AUTODIN Feedback COBOL Program (NAPWAUTD) Logic Flow (continued)

APPENDIX L

ABBREVLATIONS

ABBREVIATIONS

ACS/I - Assistant Chief of Staff/Intelligence
ADP - Automated Data Processing
AFIS - Air Force Intelligence Service
AFOC - Air Force Operations Center

AUTODIN - Automatic Digital Network

CBPO - Consolidated Base Personnel Office
CIA - Central Intelligence Agency
CONUS - Continental United States

DAS - Defense Attache System

DCA - Defense Communications Agency

DEREPS - Debriefing Reports

DIA - Defense Intelligence Agency

DIA ID NO - Defense Intelligence Agency Identification Number

DMA - Defense Mapping Agency
DOD - Department of Defense
DTS - Debriefing Team Supervisor

E & E _ - Escape and Evasion

EGRESS RECAP - Processing of Returned USAF Prisoners of War and Other

Detained USAF Personnel

FAG - Field Activity Group

FBI - Federal Bureau of Investigation FTD - Foreign Technology Division, AFSC

GDIP - General Defense Intelligence Program

HOI - Headquarters Office Instruction (Air Force)

HOMIC - HOMECOMING Intelligence Center

ICP - Intelligence Collection Plan

IOI - Item of Interest

IPIR - Immediate Photo Interpretation Report

IPWIC - Interagency Prisoner of War Intelligence Committee

IRSF - Intelligence Report Statistics File
IR - Intelligence Information Report

JCPC - Joint Central Processing Center
JCRC - Joint Casualty Resolution Center

MIA - Missing in Action

NIPS - National Information Processing System

NOK - Next of Kin

NSA - National Security Agency

OPDTA - Operational Data File

OPR - Office of Primary Responsibility

02 - Opinion Request

OSI - Office of Special Investigation

PACAF - Pacific Air Forces

PCAM - Punch Card Accounting Machine PMSEA - Prisoners/Missing Southeast Asia

POW - Prisoner of War PW - Prisoner of War

RADC - Rome Air Development Center

RECID - A DIA Recognition Identification Number assigned to each PW and MIA

SEA - Southeast Asia

SICR - Specific Intelligence Collection Requirement

SITREP - Situation Report

TTY - Teletype

USIA - United States Information Agency

WWMCCS - . World Wide Military Command and Control System